

SYNERGIZING FOOD SAFETY, QUALITY AND GENETIC IMPROVEMENT: THE INTERSECTION OF FOOD MICROBIOLOGY AND PROCESSING

SAMI A^{1*}, HAIDER MZ¹, IMRAN M², ABBAS A¹, JAVE MM¹

¹Department of Plant Breeding and Genetics, Faculty of Agricultural Sciences, University of the Punjab, Lahore, Pakistan

²National Institute of Food Science and Technology, University of Agriculture Faisalabad, Pakistan

*Correspondence author email address: adnansami4949@gmail.com

(Received, 13th January 2023, Revised 25th July 2023, Published 28th July 2023)

Abstract The fusion of food microbiology and processing has given rise, to a field that encompasses food safety, quality and genetic enhancement. This convergence plays a role in ensuring the safety, nutritional value and overall superiority of the food we consume. By integrating knowledge of microbiology with genetic improvement strategies significant progress has been made in preservation methods and food processing techniques. Innovative processing technologies have proven effective in mitigating the presence of microorganisms and extending the shelf life of food products thereby enhancing food safety. Techniques such as high pressure processing pulsed fields and ultraviolet light have gained recognition for their ability to regulate microbial populations and maintain the nutritional integrity of food. This comprehensive approach to food safety combines principles from both microbiology and processing to address challenges and safeguard health. Concurrently strategies in the realm of food microbiology and processing strive to enhance the quality and nutritional value of our meals. Probiotics, which are microorganisms that offer health benefits are employed to promote wellbeing, bolster function and overall vitality. Through engineering probiotics can be customized to target health advantages. The presence of antibiotic microorganisms like *Listeria monocytogenes* and *Salmonella* poses a risk, to food safety. To tackle this problem various approaches are utilized, such as enhancement, focused antimicrobial techniques and rigorous compliance, with safety protocols. The utilization of rapid microbiological methods, such as PCR and metagenomics, enables improved monitoring and detection of evolving microorganisms, thereby enhancing food safety. DNA-based techniques are used to combat microbial food fraud, authenticate products, detect adulteration, and trace the origins of ingredients, all of which contribute to consumer trust and the integrity of the food supply chain.

[Citation: Sami, A., Haider, M.Z., Imran, M., Abbas, A., Javed, M.M. (2023). Synergizing food safety, quality and genetic improvement: the intersection of food microbiology and processing. Bull. Biol. All. Sci. Res. 8: 44. doi: <https://doi.org/10.54112/bbasr.v2023i1.44>]

Keywords: microbiology, food safety, *Listeria monocytogenes*, *Salmonella*, food processing techniques

Introduction

Food microbiology has become increasingly important in recent years, focusing on the study of microorganisms in food and their effects on food safety, quality, and shelf-life (Starowicz and Granvogl, 2020). Its significance lies in ensuring that the food we consume is safe, free from harmful microorganisms, and of high quality. The growing demand for food security and safety has further emphasized the importance of food microbiology in food processing (Suhartanto et al., 2019). Advances in technology and techniques, such as molecular biology and advanced microscopy, have revolutionized the field of food microbiology, enabling faster and more accurate identification and quantification of microorganisms in food compared to traditional methods (Islam et al., 2023). Consequently, these advancements have led to an enhanced understanding

of the types of microorganisms present in food, their impact on food quality and safety, and effective measures for growth control and prevention (Beigmohammadi et al., 2023).

The domain of nourishment microbiology has achieved noteworthy advancements in the creation of groundbreaking preservation techniques and food handling strategies recently. One of the key strategies that has demonstrated adequacy in diminishing the quantity of harmful microorganisms in food is the utilization of high-pressure processing (Sarkar and Vardhan, 2023). This involves exposing food to elevated levels of pressure, which destroys bacteria, yeasts, molds, and other microorganisms, in this way expanding its shelf-life. Correspondingly, pulsed electric fields have likewise been shown to be compelling in lessening the quantity of harmful microorganisms in food (Shajil et al., 2018). This

method includes exposing food to high-intensity, short-duration electrical pulses that disturb the cell layers of microorganisms, bringing about their death. Ultraviolet light is another preservation technique that has picked up popularity recently. This strategy includes exposing food to ultraviolet light, which can eliminate bacteria, yeasts, molds, and other microorganisms ([Fu and Dudley, 2021](#)). The utilization of probiotics and other valuable microorganisms in food processing has likewise obtained popularity as a method of improving the nutritious value and health advantages of food. Probiotics are live microorganisms that, when ingested, can help improve digestive health and strengthen the immune system ([Neffe-Skocińska et al., 2018](#)).

Despite these advancements, the field of food microbiology is faced with numerous challenges. One major concern in the food industry is the emergence of antibiotic-resistant microorganisms such as *Listeria monocytogenes* and *Salmonella* ([Adugna and Sivalingam, 2022](#)). These microorganisms can cause severe illnesses and their resistance to antibiotics presents difficulties in treatment. Furthermore, the constant evolution of microorganisms and the presence of new strains of harmful bacteria pose significant challenges to the field. This necessitates food microbiologists to continually update their knowledge and devise novel methods of preservation and food processing to ensure the safety and quality of food ([Han et al., 2022](#)).

The role of food microbiology in food processing is extremely important, and the field is continuously progressing and making significant advancements. This review article aims to give a thorough overview of the most recent developments in food microbiology and its role in food processing ([Novais et al., 2022](#)). It will examine the different techniques and methods utilized in food microbiology, examine the difficulties and possibilities encountered by the field, and offer insights into the future directions of food microbiology research and its influence on the food industry. ([Cerk and Aguilera-Gómez, 2022](#)).

Microbiome and Diet

The microbiome is made up of all the genetic material of tiny living creatures that live in a certain location, such as a person's digestive tract. Bacteria, viruses, and fungus are examples of living entities that collaborate to perform critical tasks for the host organism. What a person consumes has a significant impact on the types of living creatures in their digestive tract ([Howard et al., 2022](#)). Consuming enough of fiber, whole grains, and fermented meals promotes the growth of beneficial bacteria in the digestive tract. However, if a person consumes a lot of sugar, processed meals, and bad carbs, it might disrupt the balance of living creatures in their digestive tract ([Campaniello et al., 2022](#)). Scientists have discovered that the living creatures in the digestive system are engaged in many vital

physiological activities, such as breaking down food, battling sickness, and managing how the body uses energy. When the equilibrium of living things in the digestive system is disrupted, it can lead to a variety of health issues, including being overweight, having type 2 diabetes, becoming ill with bowel difficulties, and even feeling extremely unhappy or anxious. ([Davies et al., 2022](#)).

The gut microbiome assumes a significant part in keeping up with by and large wellbeing, as it is engaged with different physiological cycles like processing, resistance, and digestion. An imbalanced stomach microbiome has been connected to a scope of medical issues, including obesity, type 2 diabetes, provocative inside infection, and even misery and nervousness ([Akram et al., 2023](#)).

Prebiotics

Prebiotics have been displayed to emphatically affect the gut microbiome by advancing the development of advantageous microorganisms, for example, bifidobacteria and lactobacilli ([Bamigbade et al., 2022](#)). This can assist with keeping a sound gut microbiome, further develop gut capability, and advance by and large health. Examples of prebiotics incorporate inulin, fructooligosaccharides (FOS), and galactooligosaccharides (GOS) ([Rajput et al., 2022](#)). These fixings are not processed in the small digestive system and on second thought arrive at the colon, where they act as nourishment for helpful microscopic organisms. It is critical to take note of that prebiotics are not equivalent to probiotics, which are live microorganisms that can give medical advantages when consumed. Rather, prebiotics work by establishing a strong climate for useful microbes to flourish in the gut. ([Costa et al., 2019](#)).

Synbiotics

Synbiotics, sometimes referred to as probiotics and prebiotics, are beneficial to our health. Prebiotics are food components that encourage the formation of healthy bacteria in our gut, whereas probiotics are living microorganisms that have advantages when taken. Our intricate ecosystem of gut microbes affects digestion, immunity, and metabolism. Obesity, type 2 diabetes, inflammatory bowel disease, and even melancholy and anxiety can result from a disruption in the balance of microorganisms in our gut. Synbiotics function by encouraging the development and activity of helpful bacteria while stifling undesirable bacteria. This helps to maintain the health of our gut microbiota, promote gut functionality, and improve general wellbeing. ([Sharma and Tripathi, 2019](#)).

By bolstering the barrier of the gut reducing inflammation and boosting the system synbiotics have shown significant potential in improving gut health as supported by research findings ([Sharma et al., 2023](#)). Ailments such, as bowel syndrome (IBS) inflammatory bowel disease (IBD) and infectious diarrhea are among the conditions where these remarkable compounds have displayed their

capabilities. It is crucial to note that not all probiotics and prebiotics are created equal as different strains and types can have varying effects on the gut microbiota (Aleman et al., 2023). Moreover an individual's unique gut flora composition and dietary habits can influence the efficacy of synbiotics. Probiotics, prebiotics as their combined form known as synbiotics are increasingly being utilized to support a healthy gut microbiome. Prebiotics, which consist of components found in grains, fruits and vegetables play a key role in promoting the growth and function of beneficial bacteria within the gut microbiota (Martín and Langella, 2019).

Combining probiotics and prebiotics to form synbiotics helps maintain a gut microbiota potentially yielding benefits, for various gut related conditions. Nevertheless, before incorporating a vitamin into your routine it is essential to consult with a healthcare professional to determine if it is suitable, for you (Tousoulis et al., 2022).

Food Processing and the Gut Microbiome

Food processing alludes to the arrangement of procedures and techniques used to change over crude fixings into food items that are prepared for utilization (Smith et al., 2022). The strategies utilized in food processing incorporate physical, synthetic and organic techniques. Instances of actual techniques incorporate crushing, cooking, baking and canning, while instances of synthetic strategies incorporate pickling, aging and protecting food utilizing vinegar. The natural strategies incorporate utilizing microorganisms, for example, microbes, yeast or molds to Produce fermented food products items like cheddar, yogurt and lager (Knorr & Augustin, 2022). The gut microbiome alludes to the diverse community of microorganisms that live in the human gut, including microscopic organisms, infections, parasites and archaea. The gut microbiome assumes a significant part in human wellbeing, as it assists with controlling the safe framework, process supplements, produce nutrients and synapses, and keep a solid stomach hindrance (Vemuri and Herath, 2023).

Food processing plays a role, in shaping the gut microbiota affecting it both positively and negatively. Certain food processing techniques, such as the utilization of preservatives like sodium benzoate have been observed to have effects on the gut microbiota by eliminating microorganisms. Additionally processes like canning and sanitization involving pressures and temperatures may also disrupt the balance of the gut microbiota by removing microbes (Yu et al., 2023). However foods that undergo fermentation like yogurt, kefir and sauerkraut are rich in probiotics. Can contribute to a gut microbiome. Probiotics are bacteria that play a role in maintaining gut health by suppressing the growth of harmful microbes (Eroglu and Sanlier, 2022).

The nutritional content of processed foods can also impact the gut microbiota. For example refining grains may lead to a loss of fiber and other essential

nutrients which can negatively affect the gut microbiome. Nevertheless incorporating fiber into processed foods, such as inulin can significantly influence the gut microbiome as it serves as nourishment, for microorganisms. (Hsu et al., 2022).

The impact of high-temperature processing on the gut microbiome

High-temperature processing involves the use of methods like boiling, roasting, baking, and paste-urization to preserve food by subjecting it to high temperatures. These techniques effectively eliminate pathogens and increase the shelf life of food products. However, there is a downside to high-temperature processing as it can disrupt the gut microbiome. The elevated temperatures employed in these methods may destroy beneficial bacteria and disturb the balance within the gut microbiome (Tegegne and Kebede, 2022).

Consequently, this disturbance can lead to an overgrowth of harmful bacteria that negatively impacts human health through digestive issues, increased infection risks, and immune system disruption (Hassenrück et al., 2020). High-temperature processing not only damages important compounds like prebiotics and probiotics in food, which support the growth of beneficial gut bacteria, but it can also eradicate them completely. High-temperature processing effectively preserves food and eliminates pathogens. However, it can adversely affect the gut microbiome. To maintain a healthy gut, experts recommend including fiber-rich and fermented foods like yogurt and kefir in your diet to provide probiotics. (Anumudu et al., 2021).

Alternative processing methods and their impact on the gut microbiome

Methods that are alternative to traditional ones are used in food production. Techniques such as fermenting, soaking, and sprouting are examples of these methods, and they can potentially affect the gut microbiome. (Gupta et al., 2020).

In the process of fermentation, microorganisms convert carbohydrates into organic acids, gases, or alcohol. This transformative process gives rise to a variety of fermented foods like yogurt and sauerkraut, which harbor beneficial bacteria such as Lactobacillus and Bifidobacterium. These friendly microbes hold the potential to positively impact the gut microbiome (Fang et al., 2023).

Sprouting is a captivating process where seeds are given the opportunity to germinate. This leads to an increase in nutrients and enzymes (Nithyananthan et al., 2023). Moreover, sprouted grains and legumes serve as excellent sources of fiber and prebiotics, which actively foster the growth of beneficial bacteria within the gut. On the other hand, soaking involves immersing grains and legumes in water prior to cooking (Godrich et al., 2023).

This approach has the potential to decrease the presence of antinutrients, like acid and enhance their digestibility. Additionally employing techniques

such, as fermentation, sprouting and soaking can contribute positively to the gut microbiome by supplying bacteria, fiber and prebiotics ([Tsafraikidou et al., 2020](#)).

Food Spoilage and Preservation

Food spoilage and preservation play roles in the realm of food production and consumption greatly influencing both food safety and security. Food spoilage specifically refers to the deterioration of food rendering it unappetizing or unsafe, for consumption ([Wang et al., 2023](#)). Numerous factors contribute to this process encompassing exposure to air, temperature fluctuations, humidity levels, light exposure and the proliferation of microorganisms, like bacteria, yeast and mold. These microorganisms thrive by consuming the nutrients in food and subsequently generate waste products that ultimately lead to food spoilage. ([Zhang et al., 2023](#)).

The preservation of food however involves the art of preventing or slowing down the deterioration of food to prolong its shelf life while ensuring it retains its quality and safety. Various techniques exist for food preservation encompassing methods, like refrigeration and freezing chemical methods such as salting and drying and biological methods, like fermentation. Each approach possesses its set of merits and drawbacks catering to food types accordingly([Cristian et al.](#)).

High-pressure processing

High pressure processing (HPP) is a technique used to preserve food without the need, for temperatures. It involves applying pressure to food products effectively eliminating pathogens and extending their shelf life. The remarkable aspect of HPP is that it achieves these results without compromising the quality, taste or nutritional value of the food([Lim et al., 2023](#)).

One notable advantage of HPP is its impact on the gut microbiome. Unlike heat based processing methods HPP does not involve the use of temperatures that can destroy bacteria. In fact several studies have even suggested that HPP can help maintain the content of fermented foods like yogurt. This finding makes HPP an exciting avenue, for preserving the health of the gut microbiome. ([Ashrafudoulla et al., 2023](#)).

It should be noted that the influence of HPP, on the gut microbiome can differ based on the food item and the level of pressure applied. Certain studies have indicated that the pressure utilized in HPP can affect the survival of bacteria ([JUNAID et al., 2023](#)).. Consequently it becomes crucial to take into account the repercussions of HPP on the gut microbiome while making decisions. Nonetheless HPP is a technique for preserving food while minimizing any effects, on the gut microbiome. By safeguarding the integrity, flavor and nutritional content of food HPP contributes to maintaining a gut microbiome and enhancing wellbeing ([Khaliq et al., 2021](#)).

Pulsed electric fields

Pulsed electric fields (PEF) represent a method, for preserving food and beverages without relying on heat. This technology employs bursts of electric fields at high voltage and frequency to neutralize microorganisms and enzymes effectively thereby prolonging shelf life and maintaining product quality ([Datir et al.](#)). The process of applying PEF involves subjecting the food to an field typically measuring between 20 80 kV/cm for a brief duration spanning microseconds to milliseconds. By doing the electric field disturbs the integrity of cell membranes and other vital cellular components ultimately resulting in cell death or deactivation. ([Van Wyk et al., 2021](#))

Advantages of PEF technology include:

- Thermal preservation: PEF does not depend on heat, for deactivating microorganisms ensuring that it avoids causing thermal harm to heat sensitive products.
- Reduced usage of chemicals and energy: PEF is an eco-preservation technique that consumes energy and generates minimal waste compared to other methods reliant on heat or chemical treatments.
- High effectiveness: PEF has demonstrated efficiency in neutralizing microorganisms and enzymes making it a versatile tool for preserving different types of food.

The utilization of PEF in food preservation is still an emerging technology, with research aimed at enhancing its efficiency and effectiveness. Nevertheless it holds potential as a thermal preservation method capable of extending the shelf life and maintaining the quality of diverse food and beverage products. ([Punthi et al., 2022](#)).

Refrigeration

Refrigeration is an employed technique, for food preservation. It operates by impeding the growth of microorganisms and halting chemical reactions that lead to spoilage. This method effectively preserves items like dairy products, meats, fruits and vegetables. Nevertheless its efficacy relies on a power supply and the maintenance of temperature control ([Ullah et al., 2022](#)).

Freezing

Freezing on the hand is another approach to preserve food. It functions by retarding growth and hindering spoilage inducing chemical reactions. Unlike refrigeration freezing ensures storage periods making it an optimal choice for long term preservation. However it may alter the texture and flavor of foods, fruits and vegetables ([Thakur et al., 2022](#)).

Chemical methods

Chemical methods encompass techniques like salting and drying which operate by eliminating moisture from food and establishing an environment for microorganisms. Salted foods, such as cured meats exhibit a shelf life. Can be stored without refrigeration. Drying serves as a preservation practice,

for fruits and vegetables employing either artificial methods. ([Wu et al., 2022](#)).

Biological methods

Biological methods play a role, in the preservation of food. One such method is fermentation, which promotes the growth of microorganisms that produce acid, acetic acid or alcohol. These acids are harmful to microorganisms helping to preserve the food. Fermented foods like yogurt sauerkraut and pickles are widely enjoyed in cultures. Have extended shelf lives ([Vesna et al., 2022](#)).

Food spoilage and preservation are concerns that greatly impact food safety and security. Different preservation methods exist, each with its pros and cons. The selection of a preservation method depends on the type of food and the desired shelf life. Effective food preservation necessitates techniques, storage conditions and regular monitoring to ensure food safety and quality ([Bajpai et al., 2018](#)).

Biotechnology Applications in Food Microbiology

Biotechnology has made advancements in aspects of society including food production and processing. In the realm of food microbiology biotechnology has played a role, in enhancing food safety, quality and longevity. There are ways in which biotechnology finds its applications, in the field of food microbiology. These applications can be broadly categorized into three areas: food preservation, food processing and the creation of food products ([Karim et al., 2020](#)).

Fermented foods

The preservation of food is an aspect, in the field of food microbiology. Biotechnology has greatly contributed to enhancing the preservation of food products. For centuries the use of acid bacteria (LAB) as cultures in fermented foods has been a common practice ([Rahman, 2020](#)). With advancements in biotechnology we now have an understanding of LAB strains selection and the fermentation processes that lead to flavors and textures. Additionally biotechnology has introduced the use of bacteriophages which're viruses that infect and eliminate bacteria as a means to control pathogens in food products ([Khan, 2020](#)).

Bioprocessing

Bioprocessing is another area where biotechnology has made strides. It has facilitated the development of effective food processing techniques such as high pressure processing (HPP) and ultra-high temperature (UHT) processing. These techniques have proven to be successful in eliminating pathogens and extending the shelf life of food products without compromising their quality ([Tan et al., 2020](#)).

Furthermore biotechnology has played a role in the creation of food products. It has enabled the production of ingredients, like probiotics and prebiotics which offer health benefits beyond basic nutrition. Probiotics refer to living microorganisms incorporated into food items aiming to promote wellbeing and enhance the system. Conversely

prebiotics encompass digestible constituents found in food serving as nourishment for the advantageous bacteria residing in the gut ([Dullius et al., 2018](#)).

Biorefining

Biorefining has become a part of biotechnology contributing to the development of genetically modified food products. This advanced technology has revolutionized food production by enhancing value fortifying resistance, against pests and diseases and prolonging shelf life. Nevertheless debates surrounding the safety and ethical implications of modified food products persist, making their widespread adoption a contentious matter ([Kumar et al., 2020](#)).

Moreover biotechnology has significantly influenced the field of food microbiology leading to advancements in food safety, quality assurance and product longevity. Its application has facilitated the creation of food items improved processing techniques. Extended the durability of various food products. Despite the benefits it offers the utilization of biotechnology in food production remains a topic of debate due to concerns regarding safety and ethical considerations that necessitate thorough exploration ([Mahendran et al., 2019](#)).

Microbial Quality Control in Food Processing

One crucial aspect of food processing is quality control, which plays a role in guaranteeing the safety and excellence of food items. Microorganisms, including bacteria, yeast and mold have the propensity to rapidly colonize consumables and promote spoilage. Consequently this diminishes product shelf life. Renders it unappetizing or even hazardous for consumption. Therefore implementing microbial quality control measures is paramount, within the realm of food processing. In order to prevent occurrences it becomes imperative for food processors to incorporate microbial quality control measures that guarantee the safety and excellence of their food products ([Osborne, 2022](#)).

Microbial testing methods in food processing

The initial step, in ensuring the microbial quality control of food processing involves gaining an understanding of the types of microorganisms in the food and the conditions that favor their growth. This knowledge serves as a foundation for devising strategies to manage the proliferation of these microorganisms, such as regulating temperature and humidity incorporating preservatives and antimicrobial agents and implementing hygiene practices ([Onyeaka et al., 2022](#)). Among these measures the application of preservatives stands out as one of the means of controlling microbial growth in food. Preservatives are substances added to food products with the aim of hindering the growth of microorganisms. Used preservatives include salt, vinegar and high levels of sugar. In addition to these preservatives chemical alternatives like sodium benzoate and sorbic acid are also employed by food

processors due to their efficacy in managing microbial growth ([Utpott et al., 2022](#)).

Integral to ensuring microbial quality control in food processing is the practice of testing. Its purpose lies in identifying microorganisms, within food samples and confirming that their quantities fall within limits. There exist methods, for testing microorganisms, in food encompassing plate count methods, biochemical testing methods and rapid microbiological methods ([Wang et al., 2022](#)).

Traditional Plate Count Methods:

The traditional plate count methods hold a position, in food processing evaluations. These methods involve cultivating microorganisms from a food sample on a culture medium and enumerating the resulting colonies. Among the adopted plate count methods the standard plate count (SPC) targets aerobic bacteria while the total viable count (TVC) encompasses both aerobic and anaerobic bacteria ([Hassoun et al., 2022](#)).

Biochemical Testing Methods:

Biochemical testing methods utilize enzymes and antibodies for the identification of microorganisms in food samples. These approaches rely on the metabolic pathways of microorganisms and their production of enzymes and proteins. Prominent examples of testing methods encompass techniques like enzyme linked immunosorbent assay (ELISA) and polymerase chain reaction (PCR) ([Pebdeni et al., 2022](#)).

Rapid Microbiological Methods (RMM)

Methods (RMM) mark an advancement in testing methodologies aiming to offer prompt outcomes in comparison, to conventional approaches. Rapid Microbiological Methods (RMMs) have become increasingly popular in the food industry due, to their capability to deliver outcomes facilitating decision making throughout the process of producing and distributing food products. These methods leverage cutting edge technologies like electrical sensors to identify the existence of microorganisms, within food samples ([Ronin et al., 2022](#)). There are several types of RMMs, each with its own advantages and limitations. Some of the most commonly used RMMs include:

- a) ATP bioluminescence: This technique quantifies the quantity of adenosine triphosphate (ATP) found in a food sample. ATP, a molecule, in all living cells, including bacteria serves as an indicator of the microbial load present in the sample. The approach involves extracting ATP from the food sample combining it with a reagent that induces ATP to emit light and measuring the intensity of the light.
- b) Fluorometry: This method employs dyes to identify the presence of microorganisms in a food sample. It entails adding a dye to the sample and measuring the resulting fluorescence when the dye binds to microorganisms within it.
- c) Biosensors: Biosensors are devices that utilize living cells or enzymes to detect microorganisms in food. This approach involves immobilizing microorganisms or enzymes onto a sensor surface and

observing alterations in the optical properties of the surface in response to the presence of microorganisms in a food sample ([Lin et al., 2022](#)).

Polymerase Chain Reaction (PCR)

Polymerase chain reaction (PCR) is a tool for amplifying DNA extracted from microorganisms present, in food samples. This technique is extensively employed in the field of food microbiology to detect and recognize microorganisms encompassing bacteria and viruses. PCR operates on the principle of replicating a DNA sequence subsequently amplifying it to generate millions of identical copies of the target DNA. The PCR process typically involves three steps: denaturation, annealing, and extension. a) During the denaturation step the DNA is gently heated to unravel the intertwined strands of the helix.

b) In the annealing step specific primers that perfectly match the target DNA are introduced into the sample. The temperature is then lowered to facilitate the primers binding with the target DNA.

c) Subsequently in the extension step a polymerase enzyme is added to the sample. This enzyme diligently constructs a DNA strand seamlessly copying the target DNA. This process is repeated times to generate a supply of replicated target DNA molecules (([Kadri, 2019](#)).

PCR exhibits a level of sensitivity and specificity which renders it ideal, for detecting amounts of microorganisms in food. Moreover this technique can effectively identify markers that associate with pathogenic strains like antibiotic resistance genes. However it's important to acknowledge that PCR does have its limitations. For instance acquiring a culture of the desired microorganism, from food matrices can prove challenging. Furthermore PCR may be susceptible to interference from inhibitors found in food samples, which can impede or hinder the amplification of the target DNA. To address these constraints researchers have devised techniques, for refining DNA extraction, from food samples and eliminating substances that may interfere with the process ([Rajapaksha et al., 2019](#)).

Metagenomics and its Application in Food

Processing

Metagenomics is a rapidly growing field that allows for the comprehensive analysis of the complete DNA of an environmental sample, including food. This approach enables the simultaneous analysis of all microbial species in a food sample, including both known and unknown microorganisms. Metagenomics is a powerful tool for studying the diversity, structure, and function of microbial communities in food and has significant implications for food microbiology and food safety ([Khan and Sathya, 2018](#)).

Metagenomic analyses are typically performed using high-throughput DNA sequencing technologies, such as next-generation sequencing (NGS). The resulting data is used to generate a profile of the microbial community in a food sample, including the relative abundance of different microorganisms, the presence

of genetic markers associated with pathogenic strains, and the presence of genes involved in food spoilage ([Akaçin et al., 2022](#)). Metagenomics has been used to study the microbial communities in a variety of food products, including raw meat, dairy products, fermented foods, and fresh produce. The results of these studies have provided new insights into the complex interactions between microorganisms in food, as well as the impact of food processing on the microbial communities. In addition to its application in food safety and quality control, metagenomics is also being used to develop new methods for food preservation. For example, researchers are using metagenomics to study the effect of different preservation treatments on the microbial communities in food, with the goal of developing new preservation methods that target specific microorganisms ([Bhaskaran and Saikumar, 2022](#)).

Microbial Food Safety

Microbial food safety is a crucial aspect of food processing and concerns the control of harmful microorganisms that can cause foodborne illnesses. The primary goal of microbial food safety is to prevent contamination of food by pathogens such as bacteria, viruses, and parasites, which can cause serious health problems in humans. Microbial food safety is an interdisciplinary field that involves scientists and experts from various disciplines, including microbiology, food science, public health, and regulatory agencies ([Varghese et al., 2022](#)).

The importance of microbial food safety is highlighted by the increasing incidents of foodborne illnesses globally. The Centers for Disease Control and Prevention (CDC) estimates that each year, approximately 48 million people in the United States alone fall ill due to foodborne diseases, leading to around 128,000 hospitalizations and 3,000 deaths ([Minta et al., 2022](#)).

To ensure microbial food safety, various measures are implemented at different stages of food processing, starting from the farm to the table. These measures include good agricultural practices, hygiene practices in food processing facilities, the use of preservatives, and the application of food safety regulations. One of the key aspects of microbial food safety is the control of foodborne pathogens, which is achieved through effective testing and monitoring methods. These methods include cultural and molecular techniques, such as polymerase chain reaction (PCR) and rapid microbiological methods (RMM), which are used to identify and quantify harmful microorganisms in food ([Ronin et al., 2022](#)).

Hazard Analysis and Critical Control Points (HACCP)

Hazard Analysis and Critical Control Points (HACCP) is a systematic and proactive approach to food safety that is designed to identify and control potential hazards in the food production process. It was first developed by NASA in the 1960s to ensure the safety of food for astronauts, and later adopted by

the food industry to ensure the safety of food for consumers ([Ferris, 2022](#)).

The HACCP system is based on seven principles:

- a) Conduct a hazard analysis to identify potential physical, chemical, and biological hazards at each stage of the food production process.
- b) Determine the critical control points (CCPs) in the food production process, which are the stages where hazards can be controlled or prevented.
- c) Establish critical limits for each CCP, which specify the maximum or minimum values for factors such as temperature, time, and pH.
- d) Implement monitoring procedures at each CCP to ensure that critical limits are being met.
- e) Establish corrective actions that can be taken if monitoring procedures indicate that critical limits are not being met.
- f) Implement verification procedures to ensure that the HACCP system is working effectively.
- g) Establish record-keeping procedures to document all aspects of the HACCP system ([Ferris, 2022](#)).

The implementation of HACCP requires a multi-disciplinary approach, and it involves the participation of food scientists, microbiologists, epidemiologists, and public health officials. The goal of HACCP is to ensure that the food production process is safe and that the final food product is free from harmful microorganisms ([Rajanna et al.](#)). The HACCP system is a proactive approach to food safety, as it focuses on preventing hazards rather than just detecting them after they have occurred. This makes it an effective tool for reducing the risk of foodborne illnesses and ensuring that food is safe for consumption. HACCP is now widely used in the food industry and is recognized as an international food safety management system. It is recognized by regulatory agencies such as the US Food and Drug Administration (FDA) and the European Union (EU), and is a requirement for many food products exported to international markets ([Owusu-Apenten and Vieira, 2022](#)).

Microbial Foodborne Illnesses

Microbial foodborne illnesses are illnesses that are caused by the ingestion of contaminated food. These illnesses are caused by a variety of harmful microorganisms, including bacteria, viruses, parasites, and toxins. The symptoms of microbial foodborne illness can range from mild digestive symptoms, such as nausea and diarrhea, to more severe symptoms, such as dehydration, fever, and in some cases, death ([Rajanna et al.](#)).

Microbial foodborne illnesses can be caused by a variety of factors, including contaminated water, contaminated food ingredients, poor sanitation practices, and the growth of harmful microorganisms in food. In order to prevent microbial foodborne illnesses, it is important to practice good food safety habits, such as proper food handling and storage, frequent hand washing, and the consumption of fully cooked foods ([Tavelli et al., 2022](#)). Here is a table of

some famous foodborne pathogens and their symptoms **Table 1.**

Table 1: Foodborne Pathogens and Their Symptoms

Pathogen	Type	Symptoms	Incubation Period	Associated Foods	Reference
Salmonella	Bacteria	Diarrhea, fever, abdominal cramps, vomiting	12 to 72 hours	Raw or undercooked eggs, poultry, meat	(Kumari and Kulkarni, 2022)
E. coli	Bacteria	Diarrhea, abdominal cramps, vomiting	2 to 5 days	Undercooked beef, raw vegetables, contaminated water	(Vieira et al., 2022)
Listeria monocytogenes	Bacteria	Fever, muscle aches, gastrointestinal symptoms	Up to 2 months	Raw or undercooked meat, dairy products, processed foods	(Abdelazez et al., 2023)
Staphylococcus aureus	Bacteria	Nausea, vomiting, abdominal cramps, diarrhea	30 minutes to 6 hours	Contaminated food left at room temperature	(Vaca et al., 2023)
Norovirus	Virus	Vomiting, diarrhea, stomach pain, nausea	12 to 48 hours	Contaminated food, water, or surfaces	(Vieira et al., 2022)
Clostridium perfringens	Bacteria	Abdominal cramps, diarrhea	8 to 24 hours	Food kept warm for too long	(Kim et al., 2023)
Campylobacter	Bacteria	Diarrhea, abdominal pain, fever, nausea	2 to 5 days	Raw or undercooked poultry, raw milk, contaminated water	(Abdelazez et al., 2023)
Vibrio	Bacteria	Vomiting, diarrhea, abdominal pain, fever	12 to 72 hours	Raw or undercooked seafood, particularly oysters	(Gourama, 2020)
Bacillus cereus	Bacteria	Vomiting, diarrhea	6 hours to 15 hours	Food kept at room temperature for too long	(Gourama, 2020)
Yersinia enterocolitica	Bacteria	Abdominal pain, diarrhea, fever	2 to 7 days	Undercooked pork, contaminated water	(Vaca et al., 2023)
Shigella	Bacteria	Diarrhea, fever, abdominal pain, nausea	1 to 7 days	Contaminated food and water, poor hygiene practices	(Silva, 2023)
Hepatitis A	Virus	Fatigue, abdominal pain, jaundice, nausea	2 to 7 weeks	Contaminated food and water, close contact with infected person	(Vieira et al., 2022)
Cronobacter	Bacteria	Mild to severe gastrointestinal symptoms to life-threatening infections in infants	1 to 14 days	Powdered infant formula	(Silva, 2023)
Toxoplasma gondii	Parasite	Mild flu-like symptoms to severe illness (in weakened immune systems)	5 to 23 days	Undercooked or raw meat, contaminated soil, handling cat litter	(Gourama, 2020)
Chlamydia psittaci	Bacteria	Fever, muscle pain, gastrointestinal symptoms	5 to 19 days	Handling contaminated poultry products	(Kim et al., 2023)

Microbial Food Fraud

Microbial Food Fraud is the deliberate and intentional addition or alteration of food products with the intention of deceiving consumers or regulators. It can take many forms, including the use of harmful additives, the substitution of one ingredient for another, or the addition of microorganisms that can cause illness (Brooks et al., 2021).

Microbial food fraud is a growing concern as it can lead to serious health problems for consumers and can have a negative impact on public health. For example,

the addition of harmful microorganisms to food products can cause food poisoning, while the substitution of ingredients can result in food that is not safe for consumption (Roberts et al., 2022).

Molecular Methods for Detecting Microbial Food Fraud

Molecular methods, also known as DNA-based methods, have emerged as powerful tools for detecting microbial food fraud. These methods rely on the analysis of DNA or RNA extracted from food samples, and they have been shown to be highly

effective in detecting both the presence and the identity of microorganisms ([Visciano and Schirone, 2021](#)). Some of the most commonly used molecular methods for detecting microbial food fraud include polymerase chain reaction (PCR), real-time PCR, and quantitative PCR. These methods allow for the rapid and sensitive detection of target microorganisms, and they can be used to detect even trace amounts of microorganisms that may not be easily detectable using traditional microbiological methods ([Cai et al., 2022](#)).

PCR is a widely used molecular method that amplifies specific segments of DNA. This method can be used to detect the presence of specific microorganisms in food samples, and it can be used to differentiate between different strains of the same species. Real-time PCR is a variation of PCR that allows for the simultaneous amplification and detection of target DNA. This method can be used to quantify the amount of target DNA present in a sample, and it can be used to monitor the presence of microorganisms over time ([Gao et al., 2019](#)).

Quantitative PCR (qPCR) is another variation of PCR that allows for the precise quantification of target DNA. This method can be used to determine the exact number of microorganisms in a sample, and it can be used to monitor changes in the level of microorganisms over time ([Mustafa et al., 2020](#)).

Preventing Microbial Food Fraud

Preventing microbial food fraud requires a multi-disciplinary approach that involves the collaboration of food producers, regulators, and researchers. One of the key strategies for preventing microbial food fraud is the implementation of robust food safety systems, such as the Hazard Analysis and Critical Control Points (HACCP) system. This system is designed to identify and control the risks associated with food production, and it includes a number of critical control points, such as the sourcing of raw materials, the storage and handling of food, and the final product preparation ([Barrere et al., 2020](#)).

Another important strategy for preventing microbial food fraud is the use of advanced molecular methods for detecting and identifying microorganisms. These methods provide a highly sensitive and specific means of detecting the presence of microorganisms in food, and they can be used to differentiate between different strains of the same species ([Rajapaksha et al., 2019](#)). In addition, food producers and regulators can work together to establish and enforce strict regulations and standards for food safety, including the testing of food samples for the presence of harmful microorganisms. This will help to ensure that food products are free from harmful microorganisms, and that they are safe for consumption. Finally, education and awareness-raising campaigns aimed at consumers and food producers can also play an important role in preventing microbial food fraud. These campaigns can help to raise awareness of the risks associated with food fraud, and they can encourage consumers

and food producers to take steps to protect their health and the health of others ([Rajapaksha et al., 2019](#)).

Future of Food Microbiology

The future of food microbiology is expected to be characterized by continued advances in technology and new discoveries in the field. As consumers become more aware of the importance of food safety and nutrition, the demand for safe and nutritious food products will continue to increase ([Berg et al., 2020](#)). To meet this demand, food microbiologists will continue to develop new methods for improving food preservation and processing techniques, as well as new methods for detecting and preventing foodborne illnesses. The future of food microbiology is rapidly evolving with the advancement of technology and increasing interest in personalized nutrition, sustainability, and the gut microbiome. Some of the key trends and directions of food microbiology research are highlighted below ([Pandhi et al.](#)):

Advancements in rapid and sensitive methods for detecting microorganisms in food: With the increasing demand for safe and high-quality food, there is a need for rapid, sensitive, and accurate methods for detecting harmful microorganisms in food. Researchers are developing new techniques that combine traditional microbiological methods with modern technologies such as polymerase chain reaction (PCR), metagenomics, and other molecular techniques to detect foodborne pathogens ([Xu et al., 2023](#)).

Increased focus on probiotics and beneficial microorganisms

The use of probiotics and other beneficial microorganisms in food processing is expected to continue to grow in popularity, as consumers seek to improve their gut health and overall wellbeing. Food microbiologists will continue to play a critical role in developing new probiotic strains and exploring their applications in food processing ([Sharma et al., 2021](#)).

Development of new preservation methods

The demand for long-shelf-life food products will continue to drive the development of new preservation methods. High-pressure processing, ultraviolet light, and pulsed electric fields are just a few examples of preservation methods that are being explored for their effectiveness in reducing the number of harmful microorganisms in food ([Socaci et al., 2020](#)).

Addressing the challenge of antibiotic resistance

The emergence of antibiotic-resistant bacteria is a major concern in the food industry, and food microbiologists will continue to play a critical role in developing new strategies to address this issue. This may include exploring alternative preservation methods, improving food safety practices, and investigating the use of new technologies to detect and control antibiotic-resistant bacteria ([Nguyen et al., 2021](#)).

Development of novel food products:

The food industry is continually exploring new and innovative ways to produce novel food products that meet the changing needs and preferences of consumers. Food microbiologists will play a critical role in ensuring the safety and quality of these new food products, and in developing methods for their preservation and processing (Trigo et al., 2022).

Emerging technologies in food microbiology:

Advances in DNA sequencing, genomics, and data analysis have greatly improved our understanding of the complex relationships between microorganisms and food. This has led to the development of new technologies for the detection and control of foodborne pathogens and the creation of novel fermented food products (Monjazeb Marvdashti et al., 2023). For example, metagenomics, a new field of study that looks at the genomes of entire communities of microorganisms, has the potential to revolutionize the way food is produced and processed by providing insights into the role of microorganisms in food preservation and safety (Bloomfield et al., 2023).

Personalized nutrition and the gut microbiome

With a growing interest in the health benefits of personalized nutrition, the study of the gut microbiome has become increasingly important. The gut microbiome, which refers to the community of microorganisms that live in our digestive tract, has been linked to a wide range of health benefits and diseases. In the future, food microbiologists will play an important role in developing food products that are tailored to the specific needs of individuals based on their gut microbiome (Franzago et al., 2023).

Microbiome-based food products

As our understanding of the gut microbiome and its role in human health continues to grow, new food products are being developed that are designed to promote gut health. These products, which include fermented foods and probiotics, are designed to deliver beneficial microorganisms directly to the gut, where they can have a positive impact on health. In the future, food microbiologists will continue to play a key role in the development of these products and their effectiveness (Volkmann, 2023).

Sustainability and food microbiology

With the increasing concern about sustainability, food microbiologists are also playing a role in the development of more environmentally friendly food production methods. For example, the use of microorganisms for food preservation and the creation of new, sustainable food products are becoming increasingly important (Schlundt et al., 2020). The use of microorganisms for food preservation, such as the use of lactic acid bacteria for the production of fermented foods, is a sustainable alternative to traditional food preservation methods, such as heat treatment and chemical preservatives. (Torres-León et al., 2021)

The future of food microbiology is exciting and holds great potential. As technology advances, the field will

continue to play a crucial role in the development of new and innovative food products, improving food safety and sustainability, and promoting human health through personalized nutrition (Mohanty et al., 2022). The continued research and advancements in food microbiology will help to ensure that we have access to safe, nutritious, and sustainable food in the future. The future outlook for food microbiology is promising, and it will be fascinating to see how this field continues to evolve and make a positive impact on the world (Rahman, 2016).

Declarations**Data Availability statement**

All data generated or analyzed during the study are included in the manuscript.

Ethics approval and consent to participate

Not applicable

Consent for publication

Not applicable

Funding

Not applicable

Conflict of Interest

The authors affirm that the research was conducted without any involvement of commercial or financial relationships that could be perceived as a possible conflict of interest.

Reference

- Abdelazez, A., Melak, S., Abdelmotaal, H., Alshehry, G., Al-Jumayi, H., Algarni, E., and Meng, X.-C. (2023). Potential antimicrobial activity of camel milk as a traditional functional food against foodborne pathogens in vivo and in vitro. *Food Science and Technology International*, 10820132221146322 <https://doi.org/10.1177/10820132221146322>.
- Adugna, C., and Sivalingam, K. M. (2022). Prevalence of Multiple Drug-Resistant Bacteria in the Main Campus Wastewater Treatment Plant of Wolaita Sodo University, Southern Ethiopia. *International Journal of Microbiology* 2022 <https://doi.org/10.1155/2022/1781518>.
- Akaçin, İ., Ersoy, Ş., Doluca, O., and Güngörmüşler, M. (2022). Comparing the significance of the utilization of next generation and third generation sequencing technologies in microbial metagenomics. *Microbiological Research*, 127154 <https://doi.org/10.1016/j.micres.2022.127154>.
- Akram, N., Saeed, F., Afzaal, M., Shah, Y. A., Qamar, A., Faisal, Z., Ghani, S., Ateeq, H., Akhtar, M. N., and Tufail, T. (2023). Gut microbiota and synbiotic foods: Unveiling the relationship in COVID-19 perspective. *Food Science & Nutrition* <https://doi.org/10.1002/fsn3.3162>.
- Aleman, R. S., Moncada, M., and Aryana, K. J. (2023). Leaky Gut and the Ingredients That Help Treat It: A Review. *Molecules* 28, 619 <https://doi.org/10.3390/molecules28020619>.

- Anumudu, C., Hart, A., Miri, T., and Onyeaka, H. (2021). Recent advances in the application of the antimicrobial peptide nisin in the inactivation of spore-forming bacteria in foods. *Molecules* **26**, 5552 <https://doi.org/10.1002/fsn3.3162>.
- Ashrafudoulla, M., Ulrich, M. S., Toushik, S. H., Nahar, S., Roy, P. K., Mizan, F. R., Park, S. H., and Ha, S.-D. (2023). Challenges and opportunities of non-conventional technologies concerning food safety. *World's Poultry Science Journal*, 1-24 <https://doi.org/10.1080/00439339.2023.2163044>.
- Bajpai, V. K., Kamle, M., Shukla, S., Mahato, D. K., Chandra, P., Hwang, S. K., Kumar, P., Huh, Y. S., and Han, Y.-K. (2018). Prospects of using nanotechnology for food preservation, safety, and security. *Journal of food and drug analysis* **26**, 1201-1214 <https://doi.org/10.1016/j.jfda.2018.06.011>.
- Bamigbade, G. B., Subhash, A. J., Kamal-Eldin, A., Nyström, L., and Ayyash, M. (2022). An Updated Review on Prebiotics: Insights on Potentials of Food Seeds Waste as Source of Potential Prebiotics. *Molecules* **27**, 5947 <https://doi.org/10.3390/molecules27185947>.
- Barrere, V., Everstine, K., Théolier, J., and Godefroy, S. (2020). Food fraud vulnerability assessment: Towards a global consensus on procedures to manage and mitigate food fraud. *Trends in Food Science & Technology* **100**, 131-137 <https://doi.org/10.1016/j.tifs.2020.04.002>.
- Beigmohammadi, F., Solgi, E., Lajayer, B. A., and van Hullebusch, E. D. (2023). Role and importance of microorganisms in plant nutrition and remediation of potentially toxic elements contaminated soils. In "Sustainable Plant Nutrition", pp. 179-208. Elsevier <https://doi.org/10.1016/B978-0-443-18675-2.00012-2>.
- Berg, G., Rybakova, D., Fischer, D., Cernava, T., Vergès, M.-C. C., Charles, T., Chen, X., Cocolin, L., Eversole, K., and Corral, G. H. (2020). Microbiome definition re-visited: old concepts and new challenges. *Microbiome* **8**, 1-22 <https://doi.org/10.1186/s40168-020-00875-0>.
- Bhaskaran, S., and Saikumar, C. (2022). A Review of Next Generation Sequencing Methods and its Applications in Laboratory Diagnosis. *J Pure Appl Microbiol* **16**, 825-833 <https://doi.org/10.1016/j.jamp.2019.07.001>.
- Bloomfield, S. J., Zomer, A. L., O'Grady, J., Kay, G. L., Wain, J., Janecko, N., Palau, R., and Mather, A. E. (2023). Determination and quantification of microbial communities and antimicrobial resistance on food through host DNA-depleted metagenomics. *Food Microbiology* **110**, 104162 <https://doi.org/10.1128/aem.01087-22>.
- Brooks, C., Parr, L., Smith, J. M., Buchanan, D., Snioch, D., and Hebishy, E. (2021). A review of food fraud and food authenticity across the food supply chain, with an examination of the impact of the COVID-19 pandemic and Brexit on food industry. *Food Control* **130**, 108171 <https://doi.org/10.1016/j.foodcont.2021.108171>.
- Cai, Z., Zhong, G., Liu, Q., Yang, X., Zhang, X., Zhou, S., Zeng, X., Wu, Z., and Pan, D. (2022). Molecular authentication of twelve meat species through a promising two-tube hexaplex polymerase chain reaction technique. *Frontiers in Nutrition* **9** doi: 10.3389/fnut.2022.813962.
- Cerk, K., and Aguilera-Gómez, M. (2022). Microbiota analysis for risk assessment: evaluation of hazardous dietary substances and its potential role on the gut microbiome variability and dysbiosis. *EFSA Journal* **20**, e200404 <https://doi.org/10.2903/j.efsa.2022.e200404>.
- Costa, M. F., Pimentel, T. C., Guimaraes, J. T., Balthazar, C. F., Rocha, R. S., Cavalcanti, R. N., Esmerino, E. A., Freitas, M. Q., Raices, R. S., and Silva, M. C. (2019). Impact of prebiotics on the rheological characteristics and volatile compounds of Greek yogurt. *Lwt* **105**, 371-376 <https://doi.org/10.1016/j.lwt.2019.02.007>.
- Cristian, S., Valentin, V., Marian, V., Elena, S., Mario, C., Laurențiu, V., and Augustina, P. ASPECTE PRIVIND CONSERVAREA PRODUSELOR ALIMENTARE LICHIDE, UTILIZÂND PROCEDEUL DE STERILIZARE PRIN INFUZIE DIRECTĂ ASPECTS REGARDING THE PRESERVATION OF LIQUID FOOD PRODUCTS USING THE STERILIZATION PROCESS BASED ON DIRECT HEATING STEAM INFUSION DOI 10.33045/fgr.v38.2022.32.
- Datir, R. P., Birwal, P., Meshram, B. D., Ranvir, S. G., and Adil, S. APPLICATION OF PULSED ELECTRIC FIELD (PEF) IN DAIRY BEVERAGES DOI:10.1002/9780470277898.
- Davies, C., Bergman, J., Eshraghi, A. A., Mittal, R., and Eshraghi, R. S. (2022). the gut microbiome: potential clinical applications in disease management: novel approaches using diet and nutraceuticals to reduce manifestations of accelerated aging, obesity, type 2 diabetes, gastrointestinal disorders, neurological disorders, immunological disorders, anxiety, and depression. In "Gut–Brain Connection, Myth or Reality? Role of The Microbiome in Health and Disease", pp.

- 195-236. World Scientific
https://doi.org/10.1142/9789811221156_0009.
- Dullius, A., Goettert, M. I., and de Souza, C. F. V. (2018). Whey protein hydrolysates as a source of bioactive peptides for functional foods—Biotechnological facilitation of industrial scale-up. *Journal of Functional Foods* **42**, 58-74 <https://doi.org/10.1016/j.jff.2017.12.063>
- Eroğlu, F. E., and Sanlier, N. (2022). Effect of fermented foods on some neurological diseases, microbiota, behaviors: mini review. *Critical Reviews in Food Science and Nutrition*, 1-17 <https://doi.org/10.1080/10408398.2022.2053060>.
- Fang, G.-Y., Mu, X.-J., Huang, B.-W., Wu, G.-Z., and Jiang, Y.-J. (2023). Fungal biodiversity and interaction complexity were the important drivers of multifunctionality for flavor production in a spontaneously fermented vinegar. *Innovative Food Science & Emerging Technologies* **83**, 103259 <https://doi.org/10.1016/j.ifset.2022.103259>.
- Ferris, I. M. (2022). Hazard analysis and critical control points (HACCP). In "Applied food science", pp. 187-213. Wageningen Academic Publishers https://doi.org/10.3920/978-90-8686-933-6_10.
- Franzago, M., Alessandrelli, E., Notarangelo, S., Stuppia, L., and Vitacolonna, E. (2023). Chrono-Nutrition: Circadian Rhythm and Personalized Nutrition. *International Journal of Molecular Sciences* **24**, 2571 <https://doi.org/10.3390/ijms24032571>.
- Fu, Y., and Dudley, E. G. (2021). Antimicrobial-coated films as food packaging: A review. *Comprehensive Reviews in Food Science and Food Safety* **20**, 3404-3437 <https://doi.org/10.1111/1541-4337.12769>.
- Gao, Z., Liu, Y., Wang, X., Wei, X., and Han, J. (2019). DNA mini-barcoding: a derived barcoding method for herbal molecular identification. *Frontiers in plant science* **10**, 987 <https://doi.org/10.3389/fpls.2019.00987>.
- Godrich, J., Rose, P., Muleya, M., and Gould, J. (2023). The effect of popping, soaking, boiling and roasting processes on antinutritional factors in chickpeas and red kidney beans. *International Journal of Food Science & Technology* **58**, 279-289 <https://doi.org/10.1111/ijfs.16190>.
- Gourama, H. (2020). Foodborne pathogens. *Food safety engineering*, 25-49 https://doi.org/10.1007/978-3-030-42660-6_2.
- Gupta, A., Saha, S., and Khanna, S. (2020). Therapies to modulate gut microbiota: Past, present and future. *World journal of gastroenterology* **26**, 777 doi: [10.3748/wjg.v26.i8.777](https://doi.org/10.3748/wjg.v26.i8.777).
- Han, S., Byun, K.-H., Mizan, M. F. R., Kang, I., and Ha, S.-D. (2022). Bacteriophage and their lysins: A new era of biocontrol for inactivation of pathogenic bacteria in poultry processing and production—A review. *Food Control*, 108976 <https://doi.org/10.1016/j.foodcont.2022.108976>.
- Hassoun, A., Jagtap, S., Garcia-Garcia, G., Trollman, H., Pateiro, M., Lorenzo, J. M., Trif, M., Rusu, A., Aadil, R. M., and Šimat, V. (2022). Food quality 4.0: From traditional approaches to digitalized automated analysis. *Journal of Food Engineering*, 111216 <https://doi.org/10.1016/j.jfoodeng.2022.111216>.
- Howard, E. J., Lam, T. K., and Duca, F. A. (2022). The gut microbiome: connecting diet, glucose homeostasis, and disease. *Annual review of medicine* **73**, 469-481 <https://doi.org/10.1146/annurev-med-042220-012821>.
- Hsu, C.-N., Yu, H.-R., Chan, J. Y., Wu, K. L., Lee, W.-C., and Tain, Y.-L. (2022). The impact of gut microbiome on maternal fructose intake-induced developmental programming of adult disease. *Nutrients* **14**, 1031 <https://doi.org/10.3390/nu14051031>.
- Islam, S., Thangadurai, D., Sangeetha, J., and Cruz-Martins, N. (2023). "Global Food Safety: Microbial Interventions and Molecular Advancements," CRC Press <https://doi.org/10.1155/2015/617417>.
- JUNAID, P. M., AHMAD, F., DAR, I. H., BHAT, A. H., MANZOOR, S., PANDITH, J. A., and KHAN, F. (2023). PRESERVATION STRATEGIES FOR FRUITS AND VEGETABLES: PAST, PRESENT, AND FUTURE SCOPE. *Quality Control in Fruit and Vegetable Processing: Methods and Strategies*, 143 https://doi.org/10.1128/9781555819972.ch4_2.
- Kadri, K. (2019). Polymerase chain reaction (PCR): Principle and applications. *Synthetic Biology-New Interdisciplinary Science DOI: 10.1126/science.2047872*.
- Karim, A., Gerliani, N., and Aïder, M. (2020). Kluyveromyces marxianus: An emerging yeast cell factory for applications in food and biotechnology. *International Journal of Food Microbiology* **333**, 108818 <https://doi.org/10.1016/j.ijfoodmicro.2020.108818>.
- Khaliq, A., Chughtai, M. F. J., Mehmood, T., Ahsan, S., Liaqat, A., Nadeem, M., Sameed, N., Saeed, K., Rehman, J. U., and Ali, A. (2021). High-pressure processing; principle, applications, impact, and future prospective. In "Sustainable Food Processing and Engineering

- Challenges", pp. 75-108. Elsevier <https://doi.org/10.1016/B978-0-12-822714-5.00003-6>.
- Khan, F. A. (2020). "Biotechnology fundamentals," CRC Press <https://doi.org/10.1007/978-3-642-12362-7>.
- Khan, M., and Sathya, T. (2018). Extremozymes from metagenome: Potential applications in food processing. *Critical reviews in food science and nutrition* **58**, 2017-2025 <https://doi.org/10.1080/10408398.2017.1296408>.
- Kim, E., Choi, C. H., Yang, S.-M., Shin, M.-K., and Kim, H.-Y. (2023). Rapid identification and absolute quantitation of zero tolerance-Salmonella enterica subsp. enterica serovar Thompson using droplet digital polymerase chain reaction. *LWT* **173**, 114333 <https://doi.org/10.1016/j.lwt.2022.114333>.
- Kumar, K., Gambhir, G., Dass, A., Tripathi, A. K., Singh, A., Jha, A. K., Yadava, P., Choudhary, M., and Rakshit, S. (2020). Genetically modified crops: current status and future prospects. *Planta* **251**, 1-27 <https://doi.org/10.1007/s00425-020-03372-8>.
- Kumari, S., and Kulkarni, P. (2022). Potential Concern of Foodborne Pathogens in the Food Industry. In "Biological and Chemical Hazards in Food and Food Products", pp. 27-61. Apple Academic Press <https://doi.org/10.3390/foods12030592>.
- Lim, S. H., Chin, N. L., Sulaiman, A., Tay, C. H., and Wong, T. H. (2023). Microbiological, Physicochemical and Nutritional Properties of Fresh Cow Milk Treated with Industrial High-Pressure Processing (HPP) during Storage. *Foods* **12**, 592 <https://doi.org/10.3390/foods12030592>.
- Lin, N., Jackson, S., Servetas, S., Parratt, K., Dunkers, J., Eskandari, T., and Lin-Gibson, S. (2022). Report from the NIST Workshop: Launch of the Rapid Microbial Testing Methods Consortium <https://doi.org/10.1016/j.jcyt.2020.07.006>.
- Mahendran, R., Ramanan, K. R., Barba, F. J., Lorenzo, J. M., López-Fernández, O., Muneke, P. E., Roohinejad, S., Sant'Ana, A. S., and Tiwari, B. K. (2019). Recent advances in the application of pulsed light processing for improving food safety and increasing shelf life. *Trends in Food Science & Technology* **88**, 67-7 <https://doi.org/10.1016/j.tifs.2019.03.0109>.
- Martín, R., and Langella, P. (2019). Emerging health concepts in the probiotics field: streamlining the definitions. *Frontiers in microbiology* **10**, 1047 doi: 10.3389/fmicb.2019.01047.
- Minta, A. A., Ferrari, M., Antoni, S., Portnoy, A., Sbarra, A., Lambert, B., Hauryski, S., Hatcher, C., Nedelec, Y., and Datta, D. (2022). Progress Toward Regional Measles Elimination—Worldwide, 2000–2021. *Morbidity and Mortality Weekly Report* **71**, 1489-1495 doi: 10.15585/mmwr.mm7147a1.
- Mohanty, A., Mankoti, M., Rout, P. R., Meena, S. S., Dewan, S., Kalia, B., Varjani, S., Wong, J. W., and Banu, J. R. (2022). Sustainable utilization of food waste for bioenergy production: A step towards circular bioeconomy. *International Journal of Food Microbiology* **365**, 109538 <https://www.example.edu/paper.pdf>.
- Monjazebe Marvdashti, L., Arabameri, M., Yousefi, B., Eslami, M., Emadi, A., Ebrahimi, A., Abdolshahi, A., and Abdel-Wahhab, M. (2023). Cold Plasma Technology Impact on Microorganisms Inactivation in Foods: A Systematic Review. *Journal of Chemical Health Risks* **10.22034/JCHR.2023.1971021.1633**.
- Mustafa, M. A., AL-Samarraie, M. Q., and Ahmed, M. T. (2020). Molecular techniques of viral diagnosis. *Science Archives* **1**, 89-92 <http://dx.doi.org/10.47587/SA.2020.1304>.
- Neffe-Skocińska, K., Rzepkowska, A., Szydłowska, A., and Kołożyn-Krajewska, D. (2018). Trends and possibilities of the use of probiotics in food production. In "Alternative and replacement foods", pp. 65-94. Elsevier <https://doi.org/10.1016/B978-0-12-811446-9.00003-4>.
- Nguyen, A. Q., Vu, H. P., Nguyen, L. N., Wang, Q., Djordjevic, S. P., Donner, E., Yin, H., and Nghiem, L. D. (2021). Monitoring antibiotic resistance genes in wastewater treatment: Current strategies and future challenges. *Science of the Total Environment* **783**, 146964 <https://doi.org/10.1016/j.scitotenv.2021.146964>.
- Nithyananthan, S., Somenath, S., Sreenadh, B., Thirunavukkarasu, C., Bahakim, N. O., Shahid, M., Abdelzaher, M. H., Mohideen, A. P., Ramesh, T., and Lokanatha, V. (2023). Selenium conditioning decreases antioxidant enzyme activity and delays germination potency of *Macrotyloma uniflorum* and *Vigna radiata*. *Journal of King Saud University-Science* **35**, 102501 <https://doi.org/10.1016/j.jksus.2022.102501>.
- Novais, C., Molina, A. K., Abreu, R. M., Santo-Buelga, C., Ferreira, I. C., Pereira, C., and Barros, L. (2022). Natural food colorants and preservatives: a review, a demand, and a challenge. *Journal of agricultural and food chemistry* **70**, 2789-2805 <https://doi.org/10.1021/acs.jafc.1c07533>.
- Onyeaka, H., Nwabor, O., Jang, S., Obileke, K., Hart, A., Anumudu, C., and Miri, T. (2022). Sous vide processing: a viable approach for the assurance of microbial food safety. *Journal of*

- the Science of Food and Agriculture **102**, 3503-3512 <https://doi.org/10.1002/jsfa.11836>.
- Osborne, J. (2022). Advances in microbiological quality control. In "Managing Wine Quality", pp. 207-241. Elsevier <https://doi.org/10.1016/B978-0-08-102067-8.00011-7>.
- Owusu-Apenten, R., and Vieira, E. (2022). Food Safety Management, GMP & HACCP. In "Elementary Food Science", pp. 217-236. Springer https://doi.org/10.1007/978-3-030-65433-7_10.
- Pandhi, S., Kumar, A., and Mishra, S. Foodborne Diseases: Causative Agents and Related Microorganisms. In "Global Food Safety", pp. 39-55. Apple Academic Press https://doi.org/10.1007/978-1-4939-1378-7_8.
- Pebdeni, A. B., Roshani, A., Mirsadoughi, E., Behzadifar, S., and Hosseini, M. (2022). Recent advances in optical biosensors for specific detection of E. coli bacteria in food and water. *Food Control*, 108822 <https://doi.org/10.1016/j.foodcont.2022.108822>.
- Punthi, F., Yudhistira, B., Gavahian, M., Chang, C. K., Cheng, K. C., Hou, C. Y., and Hsieh, C. W. (2022). Pulsed electric field-assisted drying: A review of its underlying mechanisms, applications, and role in fresh produce plant-based food preservation. *Comprehensive Reviews in Food Science and Food Safety* **21**, 5109-5130 <https://doi.org/10.1111/1541-4337.13052>.
- Rahman, M. H. (2016). Exploring sustainability to feed the world in 2050. *Journal of Food Microbiology* **1** https://doi.org/10.1007/978-981-287-417-7_1.
- Rahman, M. S. (2020). Food preservation: an overview. *Handbook of food preservation*, 7-18 <https://doi.org/10.1128/9781555818463.ch29>.
- Rajanna, S. K. S., Jayanna, N. K. K., Bongale, M. M., and Srinivasa, C. Role of Foodborne Pathogens and Microorganisms in Food Safety. In "Global Food Safety", pp. 57-91. Apple Academic Press <https://doi.org/10.1016/B978-0-12-811444-5.00015-4>.
- Rajapaksha, P., Elbourne, A., Gangadoo, S., Brown, R., Cozzolino, D., and Chapman, J. (2019). A review of methods for the detection of pathogenic microorganisms. *Analyst* **144**, 396-411 <https://doi.org/10.1039/C8AN01488D>.
- Rajput, K., Dohroo, A., Devgon, I., and Karnwal, A. (2022). Role of Plant-Derived Prebiotic in Modulation of Human Gut Microflora: A Review. *Iranian Journal of Medical Microbiology* **16**, 368-375 <https://doi.org/10.30699/ijmm.16.5.368>.
- Roberts, M. T., Viinikainen, T., and Bullon, C. (2022). "International and national regulatory strategies to counter food fraud," Food & Agriculture Org <https://doi.org/10.1016/B978-0-12-817242-1.00018->.
- Ronin, D., Boyer, J., Alban, N., Natoli, R. M., Johnson, A., and Kjellerup, B. V. (2022). Current and novel diagnostics for orthopedic implant biofilm infections: a review. *APMIS* **130**, 59-81 <https://doi.org/10.1111/apm.13197>.
- Sarkar, M. S., and Vardhan, M. N. (2023). FOOD SCIENCE AND NUTRITION. *Aazadi ka Amrit Mahotsav: Community Science Achievements, Opportunities and Challenges*, 73 <https://www.example.edu/paper.pdf>.
- Schlundt, J., Tay, M. Y., Chengcheng, H., and Liwei, C. (2020). Food security: microbiological and chemical risks. *Global Health Security: Recognizing Vulnerabilities, Creating Opportunities*, 231-274 https://doi.org/10.1007/978-3-030-23491-1_11.
- Shajil, S., Mary, A., and Rani Juneius, C. E. (2018). Recent food preservation techniques employed in the food industry. *Microbial Biotechnology: Volume 2. Application in Food and Pharmacology*, 3-21 https://doi.org/10.1007/978-981-10-7140-9_1.
- Sharma, M., Wasan, A., and Sharma, R. K. (2021). Recent developments in probiotics: An emphasis on Bifidobacterium. *Food Bioscience* **41**, 100993 <https://doi.org/10.1016/j.fbio.2021.100993>.
- Sharma, S., Bhatia, R., Devi, K., Rawat, A., Singh, S., Bhadada, S. K., Bishnoi, M., Sharma, S. S., and Kondepudi, K. K. (2023). A synbiotic combination of Bifidobacterium longum Bif10 and Bifidobacterium breve Bif11, isomaltooligosaccharides and finger millet arabinoxylan prevents dextran sodium sulphate induced ulcerative colitis in mice. *International Journal of Biological Macromolecules*, 123326 <https://doi.org/10.1016/j.ijbiomac.2023.123326>.
- Sharma, S., and Tripathi, P. (2019). Gut microbiome and type 2 diabetes: where we are and where to go? *The Journal of nutritional biochemistry* **63**, 101-108 <https://doi.org/10.1016/j.jnutbio.2018.10.003>.
- Silva, F. V. M. (2023). Pasteurization of Food and Beverages by High Pressure Processing (HPP) at Room Temperature: Inactivation of Staphylococcus aureus, Escherichia coli, Listeria monocytogenes, Salmonella, and Other Microbial Pathogens. *Applied Sciences* **13**, 1193 <https://doi.org/10.3390/app13021193>.

- Smith, C., Van Haute, M. J., Xian, Y., Segura Munoz, R. R., Liu, S., Schmaltz, R. J., Ramer-Tait, A. E., and Rose, D. J. (2022). Carbohydrate utilization by the gut microbiome determines host health responsiveness to whole grain type and processing methods. *Gut Microbes* **14**, 2126275
<https://doi.org/10.1080/19490976.2022.2126275>.
- Socaci, S. A., Fărcaș, A. C., Aussenac, T., and Laguerre, J.-C. (2020). "Food Preservation and Waste Exploitation," BoD–Books on Demand <https://www.example.edu/paper.pdf>.
- Starowicz, M., and Granvogl, M. (2020). Trends in food science & technology an overview of mead production and the physicochemical, toxicological, and sensory characteristics of mead with a special emphasis on flavor. *Trends in food science & Technology* **106**, 402-416
<https://doi.org/10.1016/j.tifs.2020.09.006>.
- Suhartanto, D., Helmi Ali, M., Tan, K. H., Sjahroeddin, F., and Kusdibyo, L. (2019). Loyalty toward online food delivery service: the role of e-service quality and food quality. *Journal of foodservice business research* **22**, 81-97
<https://doi.org/10.1080/15378020.2018.1546076>.
- Tan, S. F., Chin, N. L., Tee, T. P., and Chooi, S. K. (2020). Physico-chemical changes, microbiological properties, and storage shelf life of cow and goat milk from industrial high-pressure processing. *Processes* **8**, 697
<https://doi.org/10.3390/pr8060697>.
- Tavelli, R., Callens, M., Grootaert, C., Abdallah, M. F., and Rajkovic, A. (2022). Foodborne pathogens in the plastisphere: Can microplastics in the food chain threaten microbial food safety? *Trends in Food Science & Technology*
<https://doi.org/10.1016/j.tifs.2022.08.021>.
- Tegegne, B. A., and Kebede, B. (2022). Probiotics, their prophylactic and therapeutic applications in human health development: A review of the literature. *Heliyon*, e09725
DOI:<https://doi.org/10.1016/j.heliyon.2022.e09725>.
- Thakur, S., Jha, B., Bhardwaj, N., Singh, A., Sawale, P. D., and Kumar, A. (2022). Isochoric freezing of foods: A review of instrumentation, mechanism, physicochemical influence, and applications. *Journal of Food Processing and Preservation*, e17113
<https://doi.org/10.1111/jfpp.17113>.
- Torres-León, C., Chávez-González, M. L., Hernández-Almanza, A., Martínez-Medina, G. A., Ramírez-Guzmán, N., Londoño-Hernández, L., and Aguilar, C. N. (2021). Recent advances on the microbiological and enzymatic processing for conversion of food wastes to valuable bioproducts. *Current Opinion in Food Science* **38**, 40-45
<https://doi.org/10.1016/j.cofs.2020.11.002>.
- Tousoulis, D., Guzik, T., Padro, T., Duncker, D. J., De Luca, G., Eringa, E., Vavlukis, M., Antonopoulos, A. S., Katsimichas, T., and Cenko, E. (2022). Mechanisms, therapeutic implications, and methodological challenges of gut microbiota and cardiovascular diseases: a position paper by the ESC Working Group on Coronary Pathophysiology and Microcirculation. *Cardiovascular research* **118**, 3171-3182
<https://doi.org/10.1093/cvr/cvac057>.
- Trigo, J. P., Alexandre, E. M., Saraiva, J. A., and Pintado, M. E. (2022). High value-added compounds from fruit and vegetable by-products—Characterization, bioactivities, and application in the development of novel food products. *Critical reviews in food science and nutrition* **60**, 1388-1416
<https://doi.org/10.1080/10408398.2019.1572588>.
- Tsarakidou, P., Michaelidou, A.-M., and G. Biliaderis, C. (2020). Fermented cereal-based products: Nutritional aspects, possible impact on gut microbiota and health implications. *Foods* **9**, 734
<https://doi.org/10.3390/foods9060734>.
- Ullah, H., Hussain, Y., Santarcangelo, C., Baldi, A., Di Minno, A., Khan, H., Xiao, J., and Daglia, M. (2022). Natural Polyphenols for the Preservation of Meat and Dairy Products. *Molecules* **27**, 1906
<https://doi.org/10.3390/molecules27061906>.
- Utpott, M., Rodrigues, E., de Oliveira Rios, A., Mercali, G. D., and Flôres, S. H. (2022). Metabolomics: An analytical technique for food processing evaluation. *Food Chemistry* **366**, 130685
<https://doi.org/10.1016/j.foodchem.2021.130685>.
- Vaca, J., Ortiz, A., and Sansinenea, E. (2023). A study of bacteriocin like substances comparison produced by different species of *Bacillus* related to *B. cereus* group with specific antibacterial activity against foodborne pathogens. *Archives of Microbiology* **205**, 13
<https://doi.org/10.1007/s00203-022-03356-0>.
- Van Wyk, S., Hong, L., and Silva, F. V. (2021). Non-thermal high pressure processing, pulsed electric fields and ultrasound preservation of five different table wines. *Beverages* **7**, 69
<https://doi.org/10.1007/s00203-022-03356-0>.
- Varghese, S. M., Parisi, S., Singla, R. K., and Begum, A. A. (2022). Food Safety and Quality Control in Food Industry. *Trends in Food Chemistry, Nutrition and Technology in Indian Sub-*

- Continent, 31-44 <https://doi.org/10.1007/978-3-031-06304-6>.
- Vemuri, R., and Herath, M. P. (2023). Beyond the Gut, Emerging Microbiome Areas of Research: A Focus on Early-Life Microbial Colonization. *Microorganisms* **11**, 239 <https://doi.org/10.3390/microorganisms11020239>.
- Vesna, L., Natalija, A.-P., Daniela, B., Sandra, M., and Natasha, G. (2022). FERMENTED PLANT BASED PRODUCTS IN EVERYDAY NUTRITION IN MACEDONIA AND THEIR POTENTIAL OF PROBIOTIC VECTORS. *Macedonian Journal of Animal Science* <http://hdl.handle.net/20.500.12188/24941>.
- Vieira, K. C. d. O., Silva, H. R. A. d., Rocha, I. P. M., Barboza, E., and Eller, L. K. W. (2022). Foodborne pathogens in the omics era. *Critical Reviews in Food Science and Nutrition* **62**, 6726-6741 <https://doi.org/10.1080/10408398.2021.1905603>.
- Visciano, P., and Schirone, M. (2021). Food frauds: Global incidents and misleading situations. *Trends in Food Science & Technology* **114**, 424-442 <https://doi.org/10.1016/j.tifs.2021.06.010>
Get rights and content.
- Volkman, E. R. (2023). Is there a role for the microbiome in systemic sclerosis? *Expert Review of Clinical Immunology* <https://doi.org/10.1080/1744666X.2023.2161512>.
- Wang, J., Zhao, F., Huang, J., Li, Q., Yang, Q., and Ju, J. (2023). Application of essential oils as slow-release antimicrobial agents in food preservation: Preparation strategies, release mechanisms and application cases. *Critical Reviews in Food Science and Nutrition*, 1-26 <https://doi.org/10.1080/10408398.2023.2167066>.
- Wang, Y., Zhang, C., Liu, F., Jin, Z., and Xia, X. (2022). Ecological succession and functional characteristics of lactic acid bacteria in traditional fermented foods. *Critical reviews in food science and nutrition*, 1-15 <https://doi.org/10.1080/10408398.2021.2025035>.
- Wu, C.-P., Wu, S.-M., Lin, Y.-H., Wu, Y.-H., Huang, B.-C., Huang, H.-W., and Wang, C.-Y. (2022). High pressure processing-based hurdle strategy for microbial shelf life of packed food in the Cold Chain. *Food Packaging and Shelf Life* **34**, 100983 <https://doi.org/10.1016/j.fpsl.2022.100983>.
- Xu, Y., Hassan, M. M., Sharma, A. S., Li, H., and Chen, Q. (2023). Recent advancement in nano-optical strategies for detection of pathogenic bacteria and their metabolites in food safety. *Critical Reviews in Food Science and Nutrition* **63**, 486-504 <https://doi.org/10.1080/10408398.2021.1950117>.
- Yu, Z., Henderson, I. R., and Guo, J. (2023). Non-caloric artificial sweeteners modulate conjugative transfer of multi-drug resistance plasmid in the gut microbiota. *Gut Microbes* **15**, 2157698 <https://doi.org/10.1080/19490976.2022.2157698>.
- Zhang, W., Sani, M. A., Zhang, Z., McClements, D. J., and Jafari, S. M. (2023). High performance biopolymeric packaging films containing zinc oxide nanoparticles for fresh food preservation: A review. *International Journal of Biological Macromolecules*, 123188 <https://doi.org/10.1016/j.ijbiomac.2023.123188>.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/). © The Author(s) 2023