



## ASSESSING POTATO CULTIVATION TECHNIQUES IN PAKISTAN: AN ANALYSIS OF EXISTING METHODS AND IDENTIFIED GAPS

IRFAN MF<sup>1</sup>, FATIMA N<sup>1</sup>, ALI F<sup>2</sup>, HAIDER MZ<sup>3</sup>

<sup>1</sup>Department of Plant Pathology, Faculty of Agricultural Sciences, University of the Punjab, Lahore 54590, Pakistan

<sup>2</sup>Department of Horticulture, Faculty of Agricultural Sciences, University of the Punjab, Lahore 54590, Pakistan

<sup>3</sup>Centre for Planetary and Food Security, Griffith University, Nathan Campus, Brisbane-QLD 4111- Australia

<sup>4</sup>Agricultural Biotechnology Research Center, National Cheng Hsing University, Academia Sinica, Taipei, Taiwan

\*Correspondence Author Email Address: [muhammafaiq781@gmail.com](mailto:muhammafaiq781@gmail.com)

(Received, 29<sup>th</sup> May 2023, Revised 19<sup>th</sup> October 2024, Published 28<sup>th</sup> October 2024)

**Abstract** The potato is an important crop in vegetables. It is grown in sandy to clay-loamy soil in the winter season. Potassium and vitamin C are abundant in potatoes. Both governmental and private agriculture extension services actively educate farmers about suggested techniques for producing potatoes and offer guidance on how to implement these practices. This study aimed to investigate the discrepancy between accepted and advised potato production technology techniques. Pakistan's primary potato hub is Okara. Tehsil Okara was selected randomly from 3 tehsils (Okara, Depalpur, Renala Khurd) of district Okara. A random sampling was carried out for 120 Okara potato growers, the study's key data were gathered through a field survey. According to the survey, most farmers were aware of the suggested potato production technology and many had already embraced it. However, a sizable portion did not follow the advised guidelines. Therefore, to get a high yield of potatoes per acre, it is necessary to strengthen the efforts of extension services and implement more advanced advice. Extension activities must be adjusted to farmers' needs.

[Citation: Irfan, M.F., Fatima, N., Ali, F., Haider, M.Z. (2024). Assessing potato cultivation techniques in Pakistan: an analysis of existing methods and identified gaps. Bull. Biol. All. Sci. Res. 9: 80. doi: <https://doi.org/10.54112/bbasr.v2024i1.80>]

**Keywords:** Potato; Production Technology; Awareness; Adoption; Practices

### Introduction

Drought is a predominant environmental pressure. Potato (*Solanum tuberosum*) is central in Pakistan's Agriculture Industry and is one of the most famous vegetables worldwide (Khalil et al., 2021; Majeed and Muhammad, 2018). Potatoes have incredible nutritional features, making them vital for the foremost non-cereal food groups and maintaining a well-balanced diet (Islam, 2024; Raigond et al., 2024). Potato is rich in carbohydrates, protein, and potassium with abundant vital vitamins, which boosts immunity and human health (Bhutto et al., 2024). Okara district remains the most productive district of Potatoes and potato crops hold a greater importance in Pakistan's economy (Rasool et al.; Riaz et al., 2024). The effect of increasing temperatures in the climate tremendously affects the tuber yield (Skrobacz et al., 2024). Okara's perfect climate and soil characteristics, such as deep, fertile, sandy to clay loamy soils with excellent water retention abilities, promote optimal potato growth (Sun et al., 2024). The fall season, that is, September to February, contributes about 70–75% of the potato production; the summer and spring seasons contribute 15-20% and 7–10% (Kim and Webber, 2024; Ntuli, 2024). Effective production methods have played an important role in

improving potato yield and quality (Mishra et al., 2024). However, ideal practices can often be very far from what farmers do on the field (Drescher et al., 2024). There is frequently a notable gap between the suggested practices and the actions taken by farmers (Jafari et al., 2024; Priya and Singh, 2024). Organizations in the private and public sectors, such as those involved in producing fertilizer, seeds, and pesticides, play a vital role in spreading information about recommended practices (Alhassan et al., 2024; Dar et al., 2024). Various private sector organizations have hired field workers to enhance farming techniques and offer extension support (Pandey et al., 2024). This review article gave information on differences that exist between recommended and traditional used practices that significantly boost advancement in potato growing techniques.

### Evolution of Potato Cultivation Practices

Potato industry in the Pakistan zone has changed remarkably concerning the economic needs of environmental issues of people and the better technological inputs (Bomers et al., 2024; Wang and Su, 2024). The advancement of technology in agriculture zone increased the productivity and enhanced yield of crops (Shah et al., 2024). The use of high-yielding seed varieties, irrigation facilities, and the latest techniques of fertilizers are common

examples (Yang et al., 2023). Modernization of potato farming in central locations such as Okara, the center for potato cultivation in Pakistan, has affected many methods of potato growing, including land preparation and harvesting (Farid, 2023; Mehta and Badegaonkar, 2023). Modern storage facilities and IPM systems recently improved post-harvest processing and storage, reduced losses, and facilitated obtaining market prices for farmers. Another factor that has supported the adopting of new technology and techniques by potato-producing farmers was the agricultural extension programs, where new technology and techniques were introduced to them by experts (Hamasalih and Layeeq, 2023).

#### **Historical Trends in Potato Production in Pakistan**

Potato crops were introduced in the mid-twentieth century, and its yield has importantly better with the application of modern growing techniques (Çalışkan et al., 2023). Potatoes were first grown on small farm fields in the Okara district. After a considerable period, productivity and efficiency became much better with the incorporation of new modern techniques including resistant varieties against many diseases, and better soil management among others (Reddy, 2024; Zuza et al., 2024). In the 1980s, there was a massive growth in the area under potato cultivation, particularly in Punjab, which accounts for close to 90% of all potatoes in the state (Shah et al., 2023; Wani, 2023). Okara region has appeared as the top producer of potato due to its perfect soil and climate conditions (Ginting et al., 2024). Autumn, Summer, and Spring are the three major seasons of Potato Production (Bomers et al., 2024). In recent years the economic losses of Potato Production have been maximized due to fluctuations in output resulting from water deficiencies and climatic factors, making uninterrupted production difficult (Ierna, 2023; Obidiegwu et al., 2015)

#### **Current Potato Production Technologies**

##### **Land Preparation Techniques**

Soil preparation is very crucial in the increase of potatoes because it structures the soil, increases drainage, and makes nutrients available in the soil (Djaman et al., 2022; Johansen et al., 2015). Tractor-mounted plows and rotavators have successfully taken the place of the old manual method in areas such as Okara main growing region for potatoes in Pakistan (Mehta and Badegaonkar, 2023). It initiates with heavy plowing, harrowing, and leveling the surface of the field which will produce a fine tilth suitable for tuber production and root growth (Dua et al., 2018; Laxminarayana et al., 2016). The recommendations of a farmer for bed planting systems as a solution to combating waterlogging that can lead to diseases such as blight (Laxminarayana et al., 2016). The use of mechanical methods for land preparation leads to higher yields by enhancing aeration and controlling weeds, as well as saving time and labour (Ghorai, 2022). Most small-scale farmers in developing countries still use the traditional ways of farming.

Such practices have resulted in less production compared to the utilization of modern machinery (Kansanga et al., 2019; Liao et al., 2022)

##### **Sowing Methods and Timing**

The success of the potato crop is largely dependent on the timing and technique of seeding (Liao et al., 2022). In Pakistan, the autumn (September–October) and spring (February–March) are the primary times for sowing potatoes (Ahmed et al., 2020; Naz et al., 2022). More than 70% of the overall potato production comes from the greatest crop, which is the autumn harvest (Dean, 2018; Stark et al., 2020). Ridge sowing and flat sowing are the two basic techniques used by farmers for sowing (Khan et al., 2015b; Tang et al., 2024). Ridge planting is the most used technique in the potato field because it lowers the chance of diseases through improved drainage and aeration, as well as planting seed potatoes on elevated beds (Thooyavathy et al., 2013). Ridge sowing gives higher tuber size and better crop yield. In this respect, flat sowing benefits especially in water-logged areas (Zhao et al., 2014). A higher plant depth of 8-12 cm and increased row spacing of 75 cm can increase tuber growth and facilitate mechanical harvesting (Dagne, 2015). The weather in rainfed regions is extremely unpredictable, which is a significant challenge when planting time occurs, also having an impact on the quality and yield of the crop (Liliane and Charles, 2020)

##### **Seed Selection and Varieties**

One of the major components of successful potato cultivation is the availability of high-quality seed tubers (Wasilewska-Nascimento et al., 2020). Pakistani farmers generally favour disease-free seed tubers since they have greater potential to produce better and higher crops (Almekinders et al., 2019; Khan et al., 2023). The best widely planted varieties in Pakistan are Desiree, Sante, Lady Rosetta, and Diamant and each is valued for different attributes like resistance to pests, higher yields, and tolerance to local climate conditions (Ahmad et al., 2021). Seed companies in Pakistan produce seed locally or import seed from authorized ones in the Netherlands (Jafri et al., 2022; Schreinemachers et al., 2021). In recent years, Punjab Seed Corporation as well as other related organizations promoted the cultivation of high-yielding, disease-resistant cultivars (Rana et al., 2022). Most smallholder farmers tend to use low-quality or reprocessed seed tubers that may reduce productivity and predispose the crop to secondary diseases, such as late blight (Linguya, 2020; Rana et al., 2022). Most of the research centers in Pakistan, such as the National Agricultural Research Centre (NARC), focused on developing new, locally adapted varieties with higher resistance to pests and environmental stresses for improved seed quality (Babar et al., 2020; Ullah et al., 2020). Fungicide-treated seeds have emerged as one of the strategies for reducing disease risk during early development (Aysha et al., 2021).

### **Irrigation Practices**

Potato farming depends deeply on irrigation, especially in zones of Pakistan with inadequate water supplies (Majeed and Muhammad, 2018). Flood and furrow irrigation are frequently used for irrigation purposes, although they are ineffective and can often result in severe water loss (Guo and Li, 2024). Conventional techniques raise the danger of diseases like root rot and other fungal infections, which are harmful to potato crops and can result in waterlogging (Maciag et al., 2024). These conventional methods are very cheap and affordable; hence the farmers in the state of Punjab heavily depend on such practices as stated by different research conducted within the area (Anand and Kaur, 2024). Drip irrigation is one tool to enhance water-use efficiency, since water straight to the plant's root system (Alomran and Louki, 2024; Lakhia et al., 2024). This method saves water and increases crop productivity; in fact, yields for potatoes were increased by 20% for farmers adopting drip irrigation compared to other conventional methods of irrigation (Kale et al., 2024). One of the main barriers that limit its wide-scale adoption is cost and availability (Panchalingam et al., 2024; Singh et al., 2024c). Government support and training programs would facilitate more farmers adopting these efficient forms of irrigation.

### **Fertilizer Application Methods**


Fertilizer forms another key aspect of Pakistani potato cultivation. Potassium (potassium sulfate), Phosphorus (DAP), and nitrogen (urea) are the three most commonly used fertilizers (Tolessa, 2021; Wakeel and Magen, 2017). This crop requires high levels of these minerals for it to produce high yields efficaciously and effectively (Iqbal, 2019). Fertilizer is usually applied at a later stage during the crop growth cycle and in the soil preparation processes (Chojnacka et al., 2024). However, most farmers use fertilizers without proper testing of their soils hence nutrients are wasted (Srivastav et al., 2024). Over- and under-application can also end up harming the health of the soil and the yield of crops in the long term (Li et al., 2024). Recent studies reveal that the use of applied methods for maintain the yields for potatoes could double to 15-20% higher than traditional methods (Ouda and Zohry, 2024). Organic and biofertilizer usage is becoming more popular to encourage sustainable farming methods and reduce their dependence on chemicals (M. R. Khan et al., 2022). Compost and farmyard manure are the organic fertilizers, which enhance the soil fertility and main soil structure (Rostaei et al., 2024; Zhou et al., 2024a). Organic fertilizers have some benefits, but they are not usually used due to their shortage in the countryside and lack of knowledge about them. More work would be needed to support balanced fertilizer use and sustainable practices based on soil testing to increase productivity.

### **Plant Protection Measures**

Potatoes are highly prone to various pests and diseases, plant protection is one of the major issues in potato production (Ahmadu et al., 2021). Late blight and early blight along with potato virus Y are some of the major viral diseases present in potatoes (Kreuze et al., 2020; Lin et al., 2014). Farmers based in Pakistan generally rely on chemical pesticides and fungicides to protect their crops from such diseases (Khan et al., 2015a). However, excessive use of chemical pesticides not only increases the cost of production but also hazards the environment as a whole (Carvalho, 2017; Özkara et al., 2016). Farmers use fungicides and insecticides as a precaution, disregarding crop needs and pest levels (Afari-Sefa et al., 2015). An emerging alternative to chemical-intensive farming is integrated pest management or IPM (Sharma et al., 2016). Biological control agents, resistant potato varieties, and targeted pesticide application based on pest scouting and monitoring are just a few of the approaches that are incorporated into integrated pest management (IPM) (Gao et al., 2024). Pakistan has a low acceptance rate of IPM methods due to a lack of knowledge, training, and technological access (Khan et al., 2021). Mechanical weeding is used with pesticides to manage weed populations in potato fields. Encouraging IPM could increase yields, reduce costs, and lessen environmental impact, but requires significant support services and farmer education (El-Metwally and El-Wakeel, 2019; Kebede et al., 2016).

### **Harvesting and Storage Practices**

Potato quality and shelf life are determined by harvesting and storing methods, with potatoes typically harvested in Pakistan 90-120 days after planting (Abbasi, 2012). Hand harvesting is hard for small farmers. Mistakes like rough handling or early picking can lower quality and capacity (Stark et al., 2020). While large farms use mechanical harvesting, small-scale farmers often find the equipment expensive (Mujawamariya and Kalema, 2017). Potato storage is a challenge for many farmers in conventional farming systems due to inadequate facilities, leading to significant post-harvest losses (Degebase, 2020; Kuyu et al., 2019). Modern cold storage facilities have reduced losses by 40% through humidity and temperature control (Amirali, 2017; Makule et al., 2022). Small farmers struggle to afford cold storage. Accessible and affordable cold storage could make potato cultivation more profitable in areas like Okara Market power: Traders, farmers, and the politics of accumulation in Pakistani Punjab (Rashid, 2023). The Integrated Pest Management system utilizes Biological, Cultural, Mechanical, and Chemical techniques to ensure sustainable control of potato pests are described in Fig 1.



**Fig 1. Flowchart illustrating the stages of potato production from land preparation to storage, highlighting the interconnected processes for efficient crop management**

### Advances in potato production

#### Innovations in Seed Technology

High potato yields rely heavily on seed quality, with developments in seed science leading to disease-resistant and high-yielding potato cultivars like "Sante," "Diamant," and "Lady Rosetta" being introduced in Pakistan (Khan et al., 2023). Tissue culture technology allows for mass production of virus-free seed potatoes, boosting yields by up to 25% compared to conventional seeds (Muthoni and Kabira, 2014; Umaro, 2022). Seed priming techniques are also being utilized to improve germination and early growth (Singh et al., 2015). These advancements are advantageous for farmers looking to maintain healthy crops and increase overall crop performance, particularly in challenging conditions (Fischer and Connor, 2018).

#### Modern Irrigation and Fertilization Techniques:

In potato production, the integration of modern fertilization and irrigation techniques has resulted in higher yields and efficient use of resources (Djaman et al., 2021). The application of Precision farming technologies such as drill and sprinkler irrigation plays a critical role in enhancing the productivity and sustainability of agriculture by optimizing water usage which helps plants take water for the root zone (Lakhiar et al., 2024; Neupane and Guo, 2019). Drip irrigation, in particular, minimizes leaf wetness, which is a common issue in traditional flood irrigation systems, and reduces water waste (Asres, 2023; Sidhu et al., 2021). The farmers adopting drip irrigation yield higher and utilize water more judiciously as


water is becoming scarce in Pakistan (Iqbal and Iqbal, 2015). Fertilization is also a new development with fertigation, and therefore, quite an accurate delivery of nutrients can be achieved by fertilizing through the irrigation system as compared with other previous fertilizations (Chojnacka et al., 2020; Incrocci et al., 2017). Fertilizer runoff is reduced, and the needed amount of plant nutrients is applied to the plant at the right growing stage (Davidson and Gu, 2012; Li et al., 2009). Long-term sustainability in potato cultivation is encouraged while enhancing soil health and nutrient use efficiency with the adoption of slow-release and biofertilizers as well (Ierna and Distefano, 2024; Srinivasarao, 2021).

#### Integrated Pest Management (IPM)

**Integrated Pest Management** in potato farming is a step towards reducing chemical pesticides considerably and promoting eco-friendly ones (Ierna and Distefano, 2024). In Pakistani IPM programs, the use of biological controls, resistant potato cultivars, and chemically targeted treatments, guided by pest monitoring and thresholds, is implemented (Naqqash, 2023; Razaq et al., 2019). Predatory insects and fungi have greatly diminished the use of chemical treatments to manage pests like aphids and nematodes (Skinner et al., 2014). As shown in Fig 2, the IPM system combines the application of Biological, Cultural, Mechanical, and Chemical Control Methods for the sustainable management of potato pests. During IPM, pheromone traps and biopesticides are also applied (Jhala et al., 2020). These methods are safer for both human beings and the environment. The

resource constraints and knowledge inadequacy among smallholding farmers limit the use of IPM strategies (Ochago, 2018). In this regard, extension services and training programs are important for the increased adoption of IPM practices that have

yield-increasing potential as well as decreasing environmental impacts of potato farming(Abebe et al., 2013).



**Figure 2. Integrated Pest Management (IPM) system showing the grouping of Biological, Cultural, Mechanical, and Chemical Control Methods for Sustainable Pest Management in Potato Production.**

**Soil and Water Conservation Practices**

Soil Productivity and water scarcity are some of the major constraints that require adoption of eco-friendly soil and water conservation practices. Potato industry can adopt crop management practices that are promising, such as mulching and cover cropping, to increase soil organic matter, reduce soil erosion, and maintain the soil moist (Alyokhin et al., 2020; Ngosong et al., 2019). Preserving the water in the arid regions of Pakistan is highly important; using organic material like straw or plastic mulch helps to conserve soil moisture (El-Beltagi et al., 2022; Javed et al., 2019). Traditional techniques like rainwater harvesting and moisture checking are skills that build irrigation techniques and crop productivity in drought-prone regions (Abdullah and Rahman, 2015; Yazar and Ali, 2016). This improves conservation tillage since it reduces erosion and conserves the health of soils; thus, it promotes sustainable production of potatoes in Pakistan through maximum resource utilization (Arshad et al., 2023).

**Adoption of Recommended Practices Factors Influencing Adoption Rates**

Social and ecological factors are very significant in the production methods of potatoes around different areas of Pakistan. The adoption of the latest

recommended practices is influenced by the farm size influenced by farm size, education of farmers, financial resources, and awareness of new agricultural technologies (Akudugu et al., 2012; Quddus, 2012). The most recent technology is likely to be adopted by better-educated farmers due to the convenience offered by the extension services department (Ahmed and Adisa, 2017). Most large-scale farmers are more likely to opt for costly technologies as compared to smallholder farmers (Derpsch et al., 2016). New agricultural technologies in the village areas discourage adopting new technologies due to a lack of modern machinery. Insecure land tenure discourages long-term investment (Fofanah, 2020; Gulati et al., 2021). These include education, financial incentives, and access to technology to improve the best agriculture practices being practiced in Pakistan.

**Case Studies and Regional Variations**

Okara is one of the strongest provinces in Pakistan with good agricultural infrastructures and high-class potato farming skill that maximizes production as well as utilizing the productive resources (Aslam, 2016). It is slow adopting areas mainly KPK and Baluchistan due to the less strong networks of agriculture extension services, inaccessible service by extension, as well as harsh climate of those places

(Kamal et al., 2022; Saddique et al., 2022). Regional disparities affect potato technology adoption in the country of Pakistan (Majeed and Muhammad, 2018). A study in Punjab revealed that farmers in Faisalabad and Sahiwal with better access to extension services were more likely to adopt Pest Management and Fertilization Practices (Muddassir and Alotaibi, 2023). The use of Precision Agriculture Technologies is, however restricted by the cost and specialization (Riaz et al., 2024; Tey and Brindal, 2012). Thus, customized interventions are required to bridge regional disparities and facilitate diversified access to agricultural technologies (Marion et al., 2024).

**Role of Agricultural Extension Services**

The gap that exists between research-based recommendations and the practical implementation thereof by farmers is filled by the Agricultural Extension Workers (Bello Cartagena, 2019; Lemma et al., 2012). Public and Private Agricultural extension workers provide information of latest production technologies of potato growing in Pakistan (Sher et al., 2016). These officers offer information on seed selection, soil preparation, irrigation, and pest control to potato farmers during field visits, workshops, or demonstrations by the extension officers (Mudege et al., 2016; Shahzad et al., 2018). Still, the services offered by this agency may not be effective because of a variety of constraints that include poor accessibility of remote agricultural areas and lack of a skilled labor force (Poulton et al., 2010). Increasingly, the private sector business has assumed the role of extension services particularly on seed sales, fertilizers, and pesticides. This calls for public

extension services and research-oriented guidance for farmers in order to advance sustainable Potato farming in Pakistan (Jalango et al., 2024).

**Challenges and Gaps**

**Discrepancies Between Recommended and Actual Practices**

One of the biggest drawbacks in Pakistani potato production is the farming practices gap between recommended and farmers' practices (Riaz et al., 2024). Most of the farmers are using traditional systems instead of new technologies, which results in lesser production (Devilliers et al., 2024; Misra and Ghosh, 2024). However, due to a lack of awareness and financial limitations, the promotion of improved irrigation and seed varieties, traditional methods are still prevalent in the village zone (Carroll II, 2024; Mpala and Simatele, 2024). Similarly, even though mechanized planting and harvesting techniques can significantly increase yield, most small-scale farmers still rely on labour-intensive manual techniques since technology is expensive (Randy et al., 2024; Sriram et al., 2024). Chemical pesticides or fertilizers are frequently used against advised guidelines, excessively or at the wrong periods, which lowers crop quality and harms the environment (Gaytancioğlu and Yılmaz, 2024; Kumar and Reddy, 2024). Better education and more easily accessible resources for farmers are vital, as seen by the disparity between the adoption of advanced agricultural practices and conventional ways (Kumar and Reddy, 2024). The difference between the traditional and modern methods of potato production is illustrated with the help of Table 1.

**Table 1. Traditional vs. Modern Potato Production Techniques**

Practices	Traditional Method	Modern Method
<b>Land Preparation</b>	Manual plowing with oxen or basic tools	Mechanized tillage using tractors and rotavators
<b>Seed Selection</b>	Local, saved seeds from previous harvests	Certified, disease-free seeds from seed banks
<b>Irrigation Methods</b>	Flood irrigation, which wastes water	Drip or sprinkler irrigation for water efficiency
<b>Fertilization Practices</b>	Organic fertilizers like manure	Balanced chemical fertilizers and organic blends
<b>Pest and Disease Control</b>	Sole reliance on chemical pesticides	Integrated Pest Management (IPM) combines biological, cultural, and chemical methods.
<b>Harvesting</b>	Manual labor using hand tools	Mechanized harvesters for efficiency and speed

The table 1 highlights the variations in land preparation, seed selection, irrigation, fertilization, and pest control between conventional and modern potato farming methods. Integrated Pest Management (IPM), drip irrigation, certified seeds, and automated tillage are examples of modern techniques that are more sustainable and efficient than labour and

resource-intensive conventional techniques (Raj et al., 2024). The comparison demonstrates how implementing modern farming techniques can enhance output and better manage resources. Table 02: Regional Challenges and Gaps in Adopting Modern Potato Production Technologies.

**Table 2. Regional Challenges and Gaps in Adopting Modern Potato Production Technologies**

Region	Challenge	Suggested Solution
<b>Okara</b>	High water use in irrigation	Promote drip irrigation to conserve water
<b>Depalpur</b>	Lack of access to certified seed	Implement government seed subsidy programs

<b>Renala Khurd</b>	Pest resistance	Adopt	Integrated	Pest
		Management (IPM)	strategies	

The table 2 highlights the specific problems in potato production for each area and the suggested solutions for them. Such methods are drip irrigation, certified seed programs, and IPM techniques that promote efficient and environmentally friendly farming practices.

**Economic, Environmental, and Social Barriers**

One of the main encounters in employing optional potato production technology is the cost factor (Samuel et al., 2024). Majorities of Pakistani potato farmers are small farmers, who cannot afford high-costing equipment, drip irrigation, and high-quality seeds (Waheed et al.). Such high input costs and high potato market prices discourage farmers from adopting new technologies that may increase their yields and profits (Chikhawo et al., 2024). In addition, since they lack tenure security associated with land ownership, tenants or farmers who rent their lands might be less likely to invest in long-term improvements, including soil conservation management practices (Hadera et al., 2024).

Environmental issues also cause gaps in potato output. In many areas, poor soil quality and limited water availability make it difficult to increase production (Geling, 2024; Ravensbergen et al., 2024). The adoption of sustainable agricultural techniques has been further hampered by the overuse of chemical fertilizers and pesticides, diminishing soil health, and water resource contamination as a result of a lack of knowledge about integrated pest management (IPM) (Rahman et al., 2024; Singh et al., 2024a). These

challenges are compounded by social limitations, such as cultural conservatism and a lack of extension services (Limpamont et al., 2024). Moreover, many farmers are still relying on inherited knowledge that cannot include modern techniques suited to the needs of the market and environment today (Ihuah, 2024).

**Impact of Climate Change on Potato Production**

The potato crop in Pakistan is more vulnerable to climate change changes, mainly the shifting pattern of weather in Pakistan with increasing temperatures and erratic rainfall (Khan and Hussain, 2024; Saleem et al., 2024). They are very sensitive to temperatures, and above-average temperatures significantly affect the formation of tubers and their yield (Ghag et al., 2024). Potatoes grow well in cooler temperatures, but rising temperatures in the major producing regions of Punjab are shortening growing seasons and harvests (Naz et al., 2024b). Droughts and erratic monsoons worsen water shortages (Singh et al., 2024b).

In addition, an increased prevalence of diseases and pests resulting from climate change forces farmers to rely more on chemical pesticides that eventually may cause degradation of the environment and higher production costs (Khatri et al., 2024; Shafiq et al., 2024). Climatic change fluctuations widen already existing differences between recommended and actual potato production practices (Dushyant et al., 2024). The difference between the Environmental Impact Comparison of Traditional vs Modern Potato Farming Practices is described with the help of Table 3.

**Table 3, Environmental Impact Comparison of Traditional vs Modern Potato Farming Practices**

Impact Factor	Traditional Practices	Modern Practices
<b>Water Use</b>	High (Flood irrigation)	Reduced (Drip irrigation)
<b>Soil Health</b>	Declining (Over-tillage, soil erosion)	Improved (Crop rotation, reduced tillage)
<b>Chemical Use</b>	High (Overuse of fertilizers/pesticides)	Balanced (IPM techniques, precise application)
<b>Carbon Footprint</b>	High (Use of heavy machinery, inefficient practices)	Low (Sustainable practices, renewable energy)

The table 3 highlights developments in water conservation, soil health, chemical use, and carbon footprint, contrasting the environmental effects of old and modern potato farming methods. Modern methods to traditional ones, drip irrigation, crop rotation, and Integrated Pest Management (IPM) encourage environmentally friendly and sustainable

potato production (Zhou et al., 2024b). SWOT Analysis of Potato Production in Pakistan, highlighting strengths (e.g., suitable climate, high demand), weaknesses (e.g., reliance on traditional methods), opportunities (e.g., technology adoption, export potential), and threats (e.g., climate change, water scarcity) are described in table 4.



**Figure 3. SWOT Analysis of Potato Production in Pakistan, highlighting strengths (e.g., suitable climate, high demand), weaknesses (e.g., reliance on traditional methods), opportunities (e.g., technology adoption, export potential), and threats (e.g., climate change, water scarcity).**

#### Policy and extension services

#### Role of Public and Private Sector in Potato Production

In Pakistan, both the public and private sectors are equally crucial for the progress and development of technologies related to potato production (Khurshid et al., 2024; Rashid, 2024). Farmers must have access to information on better agricultural practices, such as pest control, irrigation methods, and seed selection, from the public sector, mostly through agricultural extension programs (Bhat et al., 2024; Sahu et al., 2024). Public Sector participation is restricted due to a lack of finance, poor infrastructure, and limited extension, mostly in rural areas (Kumar, 2024; Navarro-Valverde et al., 2024). The Private sector participation in potato cultivation has increased dramatically through agrochemicals, fertilizers, and seeds (Clement et al., 2024). Agricultural Companies give consultation extension services to boost the utilization of the latest methods and high productivity (Ataei et al., 2024; Raj, 2024).

#### Effectiveness of Extension Programs

Pakistan has provided similar results in terms of agricultural extension work to support potato production technologies (Raihan et al., 2024). Public extension services in the country are heavily constrained by factors such as less experienced institutions, outdated information, and unavailability for smallholder farmers in more remote parts of the country (Manzeke-Kangara et al., 2024; Sahu et al.,

2024). This has resulted in many farmers not adopting new technologies or even being unaware of the new technologies (Steele et al., 2024). The availability of new technologies is limited, making small-scale farmers rely on the traditional practices that disallow them from adopting unaccustomed agricultural practices that have a resultant effect on the performance of their farm (Jadhav et al., 2024; Pandey et al., 2024). Some areas were better than others: there are places where successful sales networks have businesses. Businesses that promote their products are actively placed and marketed (Pandey et al., 2024; Tiwari et al., 2024). Such services, however focus much more on the adoptions of certain commercial things that are likely not doing as much for the broader issues affecting potato farmers, such as controlling water resources, and keeping soils healthy; (Potter et al, 2024; Schattman et al,2024). Greater public and private body interaction will ensure extension services are efficient because they provide integrated information for farmers that enhances both the productivity and sustainability of the farm outputs (Francis et al., 2024; Pandey et al., 2024).

#### Recommendations for Policy Improvement

Policy recommendations that would increase funding for public sector extension activities in Pakistan would increase potato production by hiring more officers and enhancing infrastructure in these remote areas (HAMEED et al., 2024; Khan et al., 2024). It is very crucial to get a mix of commercial and research-



based advice through enhanced collaboration between the public and the private sectors (Rossoni et al., 2024). Integrated pest management (IPM) and water conservation strategies should be encouraged by policy frameworks (Han et al., 2024; Yarahmadi and Rajabpour, 2024). Financial support or subsidies may also motivate smallholder farmers to adopt climate-friendly technologies and overcome financial barriers to investment in high technological means (Mao et al., 2024; Pedersen et al., 2024). The policymakers should also

o promote research on regionally adapted potato varieties resistant to climate change (Chege et al., 2024; Saleem et al., 2024).

### Emerging Technologies and Practices

Future factors impacting Pakistan's potato production may include cutting-edge technologies and unique methods that enhance sustainability along with efficiency (Akhtar et al., 2024). Precision farming technologies, soil moisture sensors, GPS-guided planting and harvesting equipment, and drones are equally necessary for crop health monitoring (Lakhiar et al., 2024; Shah et al., 2024). Biotechnology provides an appealing prospect for future research, the development of genetically modified potato varieties for increased resistance to stresses such as drought and heat stress (Lakhiar et al., 2024; Mandal et al., 2024). Tissue culture, as quality seed production, mitigates the problem of certified seeds in the potato industry of Pakistan (Muthoni and Shimelis, 2023; Naz et al., 2024a). Organic farming practices such as bio-fertilizers and pest management are gaining increasing attention for sustainable practices (Akanmu et al., 2023).

### Research Needs and Opportunities

Improved potato production faces a research gap, particularly in the development of climate-resistant varieties to cope with the shifting conditions in Pakistan (Ameen et al., 2023; Waris et al., 2023). Selection of cultivars appropriate for different agroecological zones can help stabilize yields as temperatures rise and uneven rainfall is observed due to climate change (Grigorieva et al., 2023; Pixley et al., 2023). Potato crops are regularly injured by common challenges like nutrient depletion and poor soil (Sadawarti et al., 2023). In addition, an investigation focusing on the impacts of different production technologies on smallholder farmers' social and economic conditions could provide valuable insights into promoting the wider adoption of improved methods (Bontsa et al., 2023). There is a need to educate the farmers at the district level and collaborate with government extension workers, research institutions, and commercial organizations to ensure practical innovations in the potato fields (Kumar et al., 2024; Van Dijk, 2023).

### Potential for Sustainable Potato Production

There is a great concern for sustainability in agricultural practices for Potato production in Pakistan (Waheed et al., 2023). The farmers, in their

practicality, employed the sustainability approach through crop rotation, organic farming, and using renewable energy resources on agricultural land (Akanmu et al., 2023; Selvan et al., 2023). Management practices based on conservation agriculture use techniques such as cover crops, minimal tillage, etc (Angon et al., 2023; Jasrotia et al., 2023). This increases the fertility of the soil while saving water and preventing soil erosion effectively (Ndegwa et al., 2023). The techniques of Integrated Pest Management can reduce reliance on chemical pesticides and can decrease the pollution level in the atmosphere, thus enhancing environmental well-being (AbuQamar et al., 2024; Awasthi et al., 2023). In water-scarce regions, drip irrigation systems and harvesting rainwater should be implemented together to ensure sustainable practice in the long term (Gürsu, 2024; Talafha et al.). Encouraging farmers in Pakistan to implement these methods through legal incentives and educational programs can lead to an eco-friendly future for potato production (Mehta and Badegeankar, 2023).

### Conclusion

Although Potato Production is an important industry in Pakistan not only from economic and nutritional points of view, the sector may be plagued by serious problems. Major issues revolve around the disparity between recommended practices and actual farm-level management practices mainly followed by small-scale farmers. They still use old seed conservation methods and traditional methods of irrigation. These typically reduce yields, and make the crops more susceptible to disease. Fertilizers are applied in ways that do not improve soil health, and chemical pesticides create particular environmental hazards. Inadequate storage facilities and poor harvesting enhance the post-harvest losses. To address this issue, the Agricultural Extension Department needs to work on the financial constraints that hinder technology adoption. Climate change is also a major threat for potato cultivars and sustainable farming practices are required to enhance maximum output. Future efforts must be designed on innovative technologies, productive research, and policies helpful for productivity and sustainability. Pakistan can boost its potato industry by fostering a supportive environment, contributing to economic growth and food security.

### References

- Abbasi, K. S. (2012). Influence of packaging materials and storage conditions on the quality attributes of potato (*Solanum tuberosum* L.) tubers, Ph. D Thesis. Arid Agriculture University, Rawalpindi Pakistan.
- Abdullah, H. M., and Rahman, M. M. (2015). Initiating rain water harvest technology for climate change induced drought resilient agriculture: scopes and challenges in Bangladesh. *Journal of Agriculture and Environment for International Development*

- (*JAIED*) **109**, 189-208.  
<https://doi.org/10.12895/jaeid.20152.334>
- Abebe, G. K., Bijman, J., Pascucci, S., and Omta, O. (2013). Adoption of improved potato varieties in Ethiopia: The role of agricultural knowledge and innovation system and smallholder farmers' quality assessment. *Agricultural Systems* **122**, 22. <https://doi.org/10.1016/j.agry.2013.07.008>
- AbuQamar, S. F., El-Saadony, M. T., Alkafaas, S. S., Elsalahaty, M. I., Elkafas, S. S., Mathew, B. T., Aljasmii, A. N., Alhammadi, H. S., Salem, H. M., and Abd El-Mageed, T. A. (2024). Ecological impacts and management strategies of pesticide pollution on aquatic life and human beings. *Marine Pollution Bulletin* **206**, 116613 <https://doi.org/10.1016/j.marpolbul.2024.116613>
- Afari-Sefa, V., Asare-Bediako, E., Kenyon, L., and Micah, J. (2015). Pesticide Use Practices and Perceptions of Vegetable Farmers in the Cocoa Belts of the Ashanti and Western Regions of Ghana. *Adv Crop Sci Tech* 3: 174. doi: 10.4172/2329-8863.1000174 Page 2 of 10 Volume 3• Issue 3• 1000174 Adv Crop Sci Tech ISSN: 2329-8863 <http://dx.doi.org/10.4172/2329-8863.1000174>
- Ahmad, M. S., Afzal, M., Ouedraogo, S. N., and Majeed, M. Z. (2021). Differential feeding preference and performance of leafworm *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) on some cultivars of potato (*Solanum tuberosum* L.). *Sarhad J. Agric* **37**, 791-796 <https://dx.doi.org/10.17582/journal.sja/2021/37.3.791.796>.
- Ahmed, M., Fatima, Z., Iqbal, P., Kalsoom, T., Abbasi, K. S., Shaheen, F. A., and Ahmad, S. (2020). Potato modeling. *Systems modeling*, 383-401 [https://doi.org/10.1007/978-981-15-4728-7\\_14](https://doi.org/10.1007/978-981-15-4728-7_14).
- Ahmed, T. A., and Adisa, R. S. (2017). Perceived effectiveness of agricultural extension methods used to disseminate improved technologies to rice farmers in Kogi State, Nigeria. *International Journal of Agricultural Science, Research and Technology in Extension and Education Systems (IJASRT in EESs)* **7**, 27-34.
- Akanmu, A. O., Olowe, O. M., Phiri, A. T., Nirere, D., Odebode, A. J., Karemera Umhoza, N. J., Asemoloye, M. D., and Babalola, O. O. (2023). Bioresources in organic farming: implications for sustainable agricultural systems. *Horticulturae* **9**, 659 <https://doi.org/10.3390/horticulturae9060659>.
- Akhtar, H., Usman, M., Binyamin, R., Hameed, A., Arshad, S. F., Aslam, H. M. U., Khan, I. A., Abbas, M., Zaki, H. E., and Ondrasek, G. (2024). Traditional Strategies and Cutting-Edge Technologies Used for Plant Disease Management: A Comprehensive Overview. *Agronomy* **14**, 2175 <https://doi.org/10.3390/agronomy14092175>.
- Akudugu, M. A., Guo, E., and Dadzie, S. K. (2012). Adoption of modern agricultural production technologies by farm households in Ghana: What factors influence their decisions. *Journal of biology, agriculture and healthcare* **2**.
- Alam, A., Kobayashi, H., Matsumura, I., Ishida, A., and Mohamed, E. (2012). Technical efficiency and its determinants in potato production: Evidence from Northern Areas in Gilgit-Baltistan region of Pakistan. *International journal of research in management, economics and commerce* **2**, 1-17.
- Alhassan, A. M., Bodunrinde, R. E., Oyewole, O. A., Adetunji, C. O., and Mathew, J. T. (2024). The Role of Policy Maker, Relevant Stakeholders and Government Agency in Translating Nanobiofertilizer Research into Policy. *Handbook of Agricultural Biotechnology*, 99-116 10.1002/9781394234769.ch59.
- Almekinders, C. J., Walsh, S., Jacobsen, K. S., Andrade-Piedra, J. L., McEwan, M. A., de Haan, S., Kumar, L., and Staver, C. (2019). Why interventions in the seed systems of roots, tubers and bananas crops do not reach their full potential <https://doi.org/10.1007/s12571-018-0874-4>.
- Alomran, A. M., and Louki, I. I. (2024). Impact of irrigation systems on water saving and yield of greenhouse and open field cucumber production in Saudi Arabia. *Agricultural Water Management* **302**, 108974 <https://doi.org/10.1016/j.agwat.2024.108974>.
- Alyokhin, A., Nault, B., and Brown, B. (2020). Soil conservation practices for insect pest management in highly disturbed agroecosystems—a review. *Entomologia Experimentalis et Applicata* **168**, 7-27 <https://doi.org/10.1111/eea.12863>.
- Ameen, M., Zafar, A., Javaid, M. M., Zia, M. A., Mahmood, A., Naqve, M., and Bibi, S. (2023). Climate-Resilient Technology for Maize Production. In "Climate-Resilient Agriculture, Vol 2: Agro-Biotechnological Advancement for Crop Production", pp. 157-188. Springer <https://doi.org/10.1016/j.stress.2024.100435>.
- Amirali, A. (2017). Market power: Traders, farmers, and the politics of accumulation in Pakistani Punjab, University of Oxford <https://doi.org/10.1080/00472336.2022.2136103>.
- Anand, S., and Kaur, H. (2024). Challenges and Opportunities in Sustainable Stubble Management in Punjab: A Review. *International Journal of Environment and Climate Change* **14**, 274-297 <https://doi.org/10.9734/ijecc/2024/v14i34040..>
- Angon, P. B., Anjum, N., Akter, M. M., KC, S., Suma, R. P., and Jannat, S. (2023). An overview of the

- impact of tillage and cropping systems on soil health in agricultural practices. *Advances in Agriculture* **2023**, 8861216 <https://doi.org/10.1155/2023/8861216>.
- Arshad, T., Naqve, M., Mukhtiar, A., Javaid, M. M., Mahmood, A., Nadeem, M. A., and Khan, B. A. (2023). Conservation tillage for sustainable agriculture. In "Climate-Resilient Agriculture, Vol 1: Crop Responses and Agroecological Perspectives", pp. 313-327. Springer [https://doi.org/10.1007/978-3-031-37424-1\\_15](https://doi.org/10.1007/978-3-031-37424-1_15).
- Aslam, M. (2016). Agricultural productivity current scenario, constraints and future prospects in Pakistan. *Sarhad Journal of Agriculture* **32**, 289-303 <http://dx.doi.org/10.17582/journal.sja/2016>.
- Asres, L. A. (2023). Alternative techniques of irrigation water management for improving crop water productivity. *Reviews in Agricultural Science* **11**, 36-53 [https://doi.org/10.7831/ras.11.0\\_36](https://doi.org/10.7831/ras.11.0_36).
- Ataei, P., Dastanaei, A. M., Izadi, N., Karimi, H., and Menatizadeh, M. (2024). The predictors of social capital in agricultural consultation, technical, and engineering service companies. *Heliyon* **10** <https://doi.org/10.1016/j.heliyon.2023.e23853>.
- Awasthi, S., Vishwakarma, D., Kannaujia, D., and Shikha (2023). Socio-economic and ecological values of Sustainable Alternatives to Pesticides. In "One Health implications of agrochemicals and their sustainable Alternatives", pp. 355-386. Springer [https://doi.org/10.1007/978-3-319-24397-9\\_11](https://doi.org/10.1007/978-3-319-24397-9_11).
- Ayesha, M. S., Suryanarayanan, T. S., Nataraja, K. N., Prasad, S. R., and Shaanker, R. U. (2021). Seed treatment with systemic fungicides: time for review. *Frontiers in Plant Science* **12**, 654512 <https://doi.org/10.3389/fpls.2021.654512>.
- Babar, U., Nawaz, M. A., Arshad, U., Azhar, M. T., Atif, R. M., Golokhvast, K. S., Tsatsakis, A. M., Shcerbakova, K., Chung, G., and Rana, I. A. (2020). Transgenic crops for the agricultural improvement in Pakistan: a perspective of environmental stresses and the current status of genetically modified crops. *GM crops & food* **11**, 1-29 doi: 10.1080/21645698.2019.1680078. Epub 2019 Nov 3. PMID: 31679447; PMCID: PMC7158921..
- Bello Cartagena, L. (2019). Bridging the gap between theory and practice in agro-ecological farming: Analyzing knowledge co-creation among farmers and scientific researchers in Southern Spain <https://doi.org/10.1007/s13593-021-00666-3>.
- Bhat, P. P., Prasad, R., Anil, K., Jadhav, A., Manohar, K., Rajesh, C., and Reddy, S. L. (2024). The Role of Information and Communication Technology in Enhancing the Effectiveness of Agricultural Extension Programs Worldwide: A Review. *Journal of Scientific Research and Reports* **30**, 963-976 DOI: 10.9734/jsrr/2024/v30i72206.
- Bhutto, R. A., Khanal, S., Wang, M., Iqbal, S., Fan, Y., and Yi, J. (2024). Potato protein as an emerging high-quality: Source, extraction, purification, properties (functional, nutritional, physicochemical, and processing), applications, and challenges using potato protein. *Food Hydrocolloids*, 110415 <https://doi.org/10.1016/j.foodhyd.2024.110415>.
- Bomers, S., Ribarits, A., Kamptner, A., Tripolt, T., von Gehren, P., Prat, N., and Söllinger, J. (2024). Survey of Potato Growers' Perception of Climate Change and Its Impacts on Potato Production in Germany, Switzerland, and Austria. *Agronomy* **14**, 1399 <https://doi.org/10.3390/agronomy14071399>.
- Bontsa, N. V., Mushunje, A., and Ngarava, S. (2023). Factors influencing the perceptions of smallholder farmers towards adoption of digital technologies in Eastern Cape Province, South Africa. *Agriculture* **13**, 1471 <https://doi.org/10.3390/agriculture13081471>.
- Çalışkan, M. E., Yousaf, M. F., Yavuz, C., Zia, M. A. B., and Çalışkan, S. (2023). History, production, current trends, and future prospects. In "Potato production worldwide", pp. 1-18. Elsevier. 10.1016/B978-0-12-822925-5.00016-5.
- Carvalho, F. P. (2017). Pesticides, environment, and food safety. *Food and energy security* **6**, 48-60 <https://doi.org/10.1002/fes3.108>.
- Chege, C., Onyango, K., Bodjerenou, S., Schmidt, M., Heike, H., and Ostermann, H. (2024). Adapting green innovation centers to climate change: Reducing post-harvest loss and improving processing for target groups.
- Chikhawo, M., Katengeza, S., Okello, J. J., Phiri, M. A. R., and Chipungu, F. (2024). Analysis of factors influencing market participation among orange-fleshed sweet potato smallholder farmers in southern region of Malawi: A case of RTC project. *Crop Science* **64**, 1442-1451 <https://doi.org/10.1002/csc2.21236>.
- Chojnacka, K., Mikula, K., Skrzypczak, D., Izydorczyk, G., Gorazda, K., Kulczycka, J., Kominko, H., Moustakas, K., and Witek-Krowiak, A. (2024). Practical aspects of biowastes conversion to fertilizers. *Biomass Conversion and Biorefinery* **14**, 1515-1533 <https://doi.org/10.1007/s13399-022-02477-2>.
- Chojnacka, K., Witek-Krowiak, A., Moustakas, K., Skrzypczak, D., Mikula, K., and Loizidou, M. (2020). A transition from conventional irrigation to fertigation with reclaimed wastewater: Prospects and challenges. *Renewable and Sustainable Energy Reviews* **130**, 109959 <https://doi.org/10.1016/j.rser.2020.109959>.
- Clement, U., Borus, D., Niragire, I., and Ndacyayisenga, T. (2024). Rwanda-Seed Potato

- Needs Assessment Report. Enhancing uptake of improved potato varieties through quality seed potato production and delivery mechanisms in Rwanda.(CIP Component of Pasta II) Project.
- Dagne, Z. (2015). Influence of seed tuber size and plant spacing on yield and quality of potato (*Solanum tuberosum* L.) in Holetta, Central Ethiopia, Haramaya university DOI: 10.4172/2329-8863.1000406.
- Dar, M. H., De Janvry, A., Emerick, K., Sadoulet, E., and Wiseman, E. (2024). Private input suppliers as information agents for technology adoption in agriculture. *American Economic Journal: Applied Economics* **16**, 219-248.
- Davidson, D., and Gu, F. X. (2012). Materials for sustained and controlled release of nutrients and molecules to support plant growth. *Journal of agricultural and food chemistry* **60**, 870-876.
- Dean, B. B. (2018). "Managing the Potato Production System: 0734," CRC Press.
- Degebase, A. C. (2020). Prospects and challenges of postharvest losses of potato (*Solanum Tuberosum* L.) in Ethiopia. *Global Journal of Nutrition & Food Science* **2**, 1-10.
- Derpsch, R., Lange, D., Birbaumer, G., and Moriya, K. (2016). Why do medium-and large-scale farmers succeed practicing CA and small-scale farmers often do not?—experiences from Paraguay. *International Journal of Agricultural Sustainability* **14**, 269-281.
- Devilliers, E., Möhring, N., and Finger, R. (2024). Estimation and comparison of the performance of low-input and conventional agricultural production systems. *Q Open* **4**, qoad032.
- Djaman, K., Irmak, S., Koudahe, K., and Allen, S. (2021). Irrigation management in potato (*Solanum tuberosum* L.) production: A review. *Sustainability* **13**, 1504.
- Djaman, K., Koudahe, K., Koubodana, H. D., Saibou, A., and Essah, S. (2022). Tillage practices in potato (*Solanum tuberosum* L.) production: a review. *American Journal of Potato Research* **99**, 1-12.
- Doula, M., and Sarris, A. (2016). Soil environment. In "Environment and development", pp. 213-286. Elsevier.
- Drescher, M., Hannay, J., Feick, R. D., and Caldwell, W. (2024). Social psychological factors drive farmers' adoption of environmental best management practices. *Journal of Environmental Management* **350**, 119491.
- Dua, V. K., Rawal, S., Singh, S., and Sharma, J. (2018). Improving potato cultivation practices: an overview ICAR-Central Potato Research Institute, India. *Achieving sustainable cultivation of potatoes Volume 2*, 43-64.
- Dushyant, D., Roy, S., Mahan, N., Rani, D. V., Kumar, R., Gupta, D. K., Sharma, K. K., and Kumar, M. (2024). Impact of Climate Change on Global Potato Production: A Review. *Journal of Global Agriculture and Ecology* **16**, 14-28.
- El-Beltagi, H. S., Basit, A., Mohamed, H. I., Ali, I., Ullah, S., Kamel, E. A., Shalaby, T. A., Ramadan, K. M., Alkhateeb, A. A., and Ghazzawy, H. S. (2022). Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy* **12**, 1881.
- El-Metwally, I. M., and El-Wakeel, M. A. (2019). Comparison of safe weed control methods with chemical herbicide in potato field. *Bulletin of the National Research Centre* **43**, 1-7.
- Farid, W. (2023). The impact of covid-19 on the farming systems and livelihoods of small-scale farmers: a case study of selected villages in Pattoki tehsil, district Kasur, Punjab, © Lahore School Of Economics.
- Fischer, R., and Connor, D. (2018). Issues for cropping and agricultural science in the next 20 years. *Field Crops Research* **222**, 121-142.
- Fofanah, M. L. (2020). Investigating the Impact of Mechanized Farming on the Success of Smallholders' Farmers to Enhance and Promote Sustainable Food Production in Sierra Leone: an Empirical Case Study, Northcentral University.
- Francis, C. A., Bird, G., and Poincelot, R. (2024). "Developing and extending sustainable agriculture: a new social contract," CRC Press.
- Gao, Y., Alyokhin, A., Prager, S. M., Reitz, S., and Huseth, A. (2024). Complexities in the Implementation and Maintenance of Integrated Pest Management in Potato. *Annual Review of Entomology* **70**.
- Gaytancioğlu, O., and Yılmaz, F. (2024). Sustainable Paddy Farming in Edirne: Evaluating the Impacts of Excessive Fertilizer and Pesticide Use. *Sustainability* **16**, 7814.
- Geling, E. (2024). Yield gap analysis of potato in the major production areas of Europe.
- Ghag, K. S., Ahrari, A., Panchanathan, A., Mustafa, S. M., Lieder, T., Klöve, B., and Haghghi, A. T. (2024). Effect of long-term climate signatures on regional and local potato yield in Finland. *Smart Agricultural Technology* **7**, 100411.
- Ghorai, A. K. (2022). "Agricultural Weeder with Nail Assembly" for Weed Control, Soil Moisture Conservation, Soil Aeration and Increasing Crop Productivity. *International Journal of Environment and Climate Change* **12**, 3056-3068.
- Ginting, E., Elisabeth, D. A. A., Khamidah, A., Rinaldi, J., Ambarsari, I., and Antarlina, S. S. (2024). Journal of Agriculture and Food Research. *Journal of Agriculture and Food Research* **16**, 101175.
- Grigorieva, E., Livenets, A., and Stelmakh, E. (2023). Adaptation of agriculture to climate change: A scoping review. *Climate* **11**, 202.
- Gulati, A., Zhou, Y., Huang, J., Tal, A., Juneja, R., Gulati, A., and Juneja, R. (2021). Institutional

- innovations in accessing land, water, farm machinery and extension services in Indian agriculture. *From Food Scarcity to Surplus: Innovations in Indian, Chinese and Israeli Agriculture*, 227-268.
- Guo, H., and Li, S. (2024). A review of drip irrigation's effect on water, carbon fluxes, and crop growth in farmland. *Water* **16**, 2206.
- Gürsu, H. (2024). An Affordable System Solution for Enhancing Tree Survival in Dry Environments. *Sustainability* **16**, 5994.
- Hadera, A., Tadesse, T., Zeweld, W., Tesfay, G., and Gebremedhin, B. (2024). Trust, tenure security and investment in high-value forests. *Forest Policy and Economics* **166**, 103268.
- Hamasalih, C. M., and Layeeq, T. M. (2023). The importance of agricultural extension program in technology transfer for rural farmers: a review. *Zagazig Journal of Agricultural Research* **50**, 387-394.
- Hameed, K., Harun, R., and Fatah, A. O. (2024). The Economic Sustainability of Industrial Potato Production Within Entrepreneurial Strategies. *Bulletin of the University of Agricultural Sciences & Veterinary Medicine Cluj-Napoca. Horticulture* **81**.
- Han, P., Rodriguez-Saona, C., Zalucki, M. P., Liu, S.-s., and Desneux, N. (2024). A theoretical framework to improve the adoption of green Integrated Pest Management tactics. *Communications Biology* **7**, 337.
- Ierna, A. (2023). Water management in potato. In "Potato Production Worldwide", pp. 87-100. Elsevier.
- Ierna, A., and Distefano, M. (2024). Crop Nutrition and Soil Fertility Management in Organic Potato Production Systems. *Horticulturae* **10**, 886.
- Ihuah, A. S. (2024). African Endogenous Knowledge and Sustainable Development: Evolving an African Agrarian Philosophy. In "African Agrarian Philosophy", pp. 287-310. Springer.
- Incrocci, L., Massa, D., and Pardossi, A. (2017). New trends in the fertigation management of irrigated vegetable crops. *Horticulturae* **3**, 37.
- Iqbal, M. A. (2019). Nano-fertilizers for sustainable crop production under changing climate: a global perspective. *Sustainable crop production* **8**, 1-13.
- Iqbal, M. A., and Iqbal, A. (2015). A study on dwindling agricultural water availability in irrigated plains of Pakistan and drip irrigation as a future life line. *American-Eurasian Journal of Agricultural & Environmental Sciences* **15**, 184-190.
- Islam, S. (2024). Sweetpotatoes: The Super Food of the Next Century? An Intensive Review on Their Potential as a Sustainable and Versatile Food Source for Future Generations.
- Jadhav, A., Manohar, K., Rajesh, C., Prasad, R., Anil, K., Bhat, P. P., and Jagadeesh, V. (2024). Revolutionizing Farm Management with Modern Agricultural Extension Techniques: A Review. *Journal of Scientific Research and Reports* **30**, 1086-1099.
- Jafari, N., Karami, E., Keshavarz, M., Karami, S., and Azadi, H. (2024). Application of Complexity Theory and Agricultural Innovation System Approaches to Evaluate Performance of the New Agricultural Extension System: The Case of Iran. *J. Agric. Sci* **26**, 1.
- Jafri, S. K., Imran, M., and Asif, M. H. (2022). Investigating Pakistan's Seed Industry Dynamics.
- Jalango, D., Tesfaye, L., Steward, P., Joshi, N., Jaquet, S., Schmidt, M., and Heike, H. (2024). Adapting green innovation centers to climate change: Building climate resiliency among smallholder farming systems.
- Jasrotia, P., Kumari, P., Malik, K., Kashyap, P. L., Kumar, S., Bhardwaj, A. K., and Singh, G. P. (2023). Conservation agriculture based crop management practices impact diversity and population dynamics of the insect-pests and their natural enemies in agroecosystems. *Frontiers in Sustainable Food Systems* **7**, 1173048.
- Javed, A., Iqbal, M., Farooq, M., Lal, R., and Shehzadi, R. (2019). Plastic film and straw mulch effects on maize yield and water use efficiency under different irrigation levels in Punjab, Pakistan.
- Jhala, J., Baloda, A. S., and Rajput, V. S. (2020). Role of bio-pesticides in recent trends of insect pest management: a review. *Journal of Pharmacognosy and Phytochemistry* **9**, 2237-2240.
- Johansen, T. J., Thomsen, M. G., Løes, A.-K., and Riley, H. (2015). Root development in potato and carrot crops—influences of soil compaction. *Acta Agriculturae Scandinavica, Section B—Soil & Plant Science* **65**, 182-192.
- Kale, R. B., Gavhane, A. D., Thorat, V. S., Gadge, S., Wayal, S. M., Gaikwad, S. Y., Singh, S., Khandagale, K. S., Bhat, R., and Mahajan, V. (2024). Efficiency dynamics among onion growers in Maharashtra: a comparative analysis of drip irrigation adopters and non-adopters. *BMC Plant Biology* **24**, 237.
- Kamal, A. B., Sheikh, M. K., Azhar, B., Munir, M., Baig, M. B., and Reed, M. R. (2022). Role of agriculture extension in ensuring food security in the context of climate change: State of the art and prospects for reforms in Pakistan. *Food Security and Climate-Smart Food Systems: Building Resilience for the Global South*, 189-218.
- Kansanga, M., Andersen, P., Kpienbaareh, D., Mason-Renton, S., Atuoye, K., Sano, Y., Antabe, R., and Luginaah, I. (2019). Traditional agriculture in transition: Examining the impacts of agricultural modernization on smallholder

- farming in Ghana under the new Green Revolution. *International Journal of Sustainable Development & World Ecology* **26**, 11-24.
- Kebede, G., Sharma, J., and Dechassa, N. (2016). Evaluation of chemical and cultural methods of weed management in potato (*Solanum tuberosum* L.) in Gishe District, North Shewa, Ethiopia. *Evaluation* **6**.
- Khalil, T., Asad, S. A., Khubaib, N., Baig, A., Atif, S., Umar, M., Kropp, J. P., Pradhan, P., and Baig, S. (2021). Climate change and potential distribution of potato (*Solanum tuberosum*) crop cultivation in Pakistan using Maxent.
- Khan, F. Z., Manzoor, S. A., Gul, H. T., Ali, M., Bashir, M. A., Akmal, M., Haseeb, M., Imran, M. U., Taqi, M., and Manzoor, S. A. (2021). Drivers of farmers' intention to adopt integrated pest management: a case study of vegetable farmers in Pakistan. *Ecosphere* **12**, e03812.
- Khan, M., Mahmood, H. Z., and Damalas, C. A. (2015a). Pesticide use and risk perceptions among farmers in the cotton belt of Punjab, Pakistan. *Crop Protection* **67**, 184-190.
- Khan, M. A., and Hussain, W. (2024). Climate Change Impacts on Pakistan's Mountain Agriculture: A Study on Burusho Farmers' Adaptation Strategies Towards Livelihood Sustainability. In "Traditional Knowledge and Climate Change: An Environmental Impact on Landscape and Communities", pp. 21-45. Springer.
- Khan, M. B., Hussain, M., Raza, A., Farooq, S., and Jabran, K. (2015b). Seed priming with CaCl<sub>2</sub> and ridge planting for improved drought resistance in maize. *Turkish Journal of Agriculture and Forestry* **39**, 193-203.
- Khan, R. P., Gupta, S., Daum, T., Birner, R., and Ringler, C. (2024). Levelling the field: A review of the ICT revolution and agricultural extension in the Global South. *Journal of International Development*.
- Khan, S., Iqbal, A., Alam, O., Khan, S., Falah, U., Hashmi, H. A., Khan, Q., Ghani, S., Ullah, F., and Khan, I. (2023). Revolutionizing Potato Farming: Dynamic Innovations Reshaping Late Blight Control in Pakistan: Revolutionizing Potato Farming. *DIET FACTOR (Journal of Nutritional and Food Sciences)*, 02-07.
- Khatiri, P., Kumar, P., Shakya, K. S., Kirlas, M. C., and Tiwari, K. K. (2024). Understanding the intertwined nature of rising multiple risks in modern agriculture and food system. *Environment, Development and Sustainability* **26**, 24107-24150.
- Khurshid, N., Sharif, H., Tabash, M. I., and El Refae, G. A. (2024). An assessment of asymmetric impact of financial stability and agricultural subsidies on agricultural production in Pakistan. *Journal of Agribusiness in Developing and Emerging Economies*.
- Kim, Y.-U., and Webber, H. (2024). Contrasting Responses of Spring and Summer Potato to Climate Change in South Korea. *Potato Research*, 1-22.
- Kreuze, J. F., Souza-Dias, J., Jeevalatha, A., Figueira, A., Valkonen, J., and Jones, R. (2020). Viral diseases in potato. *The potato crop: its agricultural, nutritional and social contribution to humankind*, 389-430.
- Kumar, A., Kharumnuid, P., and Singh, B. (2024). Innovative extension strategies for transfer of technologies in potato. *Indian Farming* **74**, 43-47.
- Kumar, A. D., and Reddy, N. (2024). Adverse Effects of Pesticides: Regulatory Failures, Impacts on Public Health and Environmental Wellbeing.
- Kumar, I. (2024). Banking services and financial inclusion in India's poorest regions. *Journal of Banking Regulation* **25**, 145-159.
- Kuyu, C. G., Tola, Y. B., and Abdi, G. G. (2019). Study on post-harvest quantitative and qualitative losses of potato tubers from two different road access districts of Jimma zone, South West Ethiopia. *Heliyon* **5**.
- Lakhiar, I. A., Yan, H., Zhang, C., Wang, G., He, B., Hao, B., Han, Y., Wang, B., Bao, R., and Syed, T. N. (2024). A Review of Precision Irrigation Water-Saving Technology under Changing Climate for Enhancing Water Use Efficiency, Crop Yield, and Environmental Footprints. *Agriculture* **14**, 1141.
- Laxminarayana, K., Mishra, S., and Soumya, S. (2016). Good agricultural practices in tropical root and tuber crops. *Tropical Roots and Tubers: Production, Processing and Technology*, 183-224.
- Lemma, T., Tegegne, A., and Hoekstra, D. (2012). Capacity for knowledge-based smallholder agriculture in Ethiopia: Linking graduate programs to market-oriented agricultural development: Challenges, opportunities and IPMS experience.
- Li, S.-X., Wang, Z.-H., Malhi, S., Li, S.-Q., Gao, Y.-J., and Tian, X.-H. (2009). Nutrient and water management effects on crop production, and nutrient and water use efficiency in dryland areas of China. *Advances in agronomy* **102**, 223-265.
- Li, Z., Shah, F., Xiong, L., and Wu, W. (2024). Enhancing rapeseed yield and lodging resistance through combined inorganic nitrogen and long-term organic fertilizer application. *European Journal of Agronomy* **159**, 127286.
- Liao, W., Zeng, F., and Chaniebate, M. (2022). Mechanization of small-scale agriculture in China: Lessons for enhancing smallholder access to agricultural machinery. *Sustainability* **14**, 7964.

- Liliane, T. N., and Charles, M. S. (2020). Factors affecting yield of crops. *Agronomy-climate change & food security*, 9.
- Limpamont, A., Kittipanya-ngam, P., Chindasombatcharoen, N., and Cavite, H. J. M. (2024). Towards agri-food industry sustainability: Addressing agricultural technology adoption challenges through innovation. *Business Strategy and the Environment*.
- Lin, Y.-H., Johnson, D. A., and Pappu, H. R. (2014). Effect of Potato virus S infection on late blight resistance in potato. *American journal of potato research* **91**, 642-648.
- Linguya, S. K. (2020). Detection of plant pathogens associated with African nightshade seed and methods of seed processing to reduce infection, University of Nairobi.
- Maciag, T., Kozieł, E., Otulak-Kozieł, K., Jafra, S., and Czajkowski, R. (2024). Looking for Resistance to Soft Rot Disease of Potatoes Facing Environmental Hypoxia. *International Journal of Molecular Sciences* **25**, 3757.
- Majeed, A., and Muhammad, Z. (2018). Potato production in Pakistan: challenges and prospective management strategies—a review. *Pak. J. Bot* **50**, 2077-2084.
- Makule, E., Dimoso, N., and Tassou, S. A. (2022). Precooling and cold storage methods for fruits and vegetables in Sub-Saharan Africa—A review. *Horticulturae* **8**, 776.
- Mandal, O., Krishnamoorthi, A., Singh, A., Kaur, R., Kalaiselvi, P., Tiwari, U., and Mitra, M. (2024). Biofortification: Enhancing Nutritional Content in Crops through Biotechnology and Fighting Climate Change. *Journal of Advances in Biology & Biotechnology* **27**, 186-210.
- Manzeke-Kangara, M., Muwaniki, C., Siziba, S., Chamboko, T., Mtambanengwe, F., and Wedekind, V. (2024). Evolution of Agricultural Extension in Zimbabwe: Emerging Technologies, Training Needs and Future Possibilities. *South African Journal of Agricultural Extension* **52**, 21-55.
- Mao, H., Chai, Y., Shao, X., and Chang, X. (2024). Digital extension and farmers' adoption of climate adaptation technology: An empirical analysis of China. *Land Use Policy* **143**, 107220.
- Marion, P., Lwamba, E., Floridi, A., Pande, S., Bhattacharyya, M., Young, S., Villar, P. F., and Shisler, S. (2024). The effects of agricultural output market access interventions on agricultural, socio-economic, food security, and nutrition outcomes in low-and middle-income countries: A systematic review. *Campbell Systematic Reviews* **20**, e1411.
- Mehta, C., and Badegaonkar, U. R. (2023). Sustainable management of crop residues in Bangladesh, India, Nepal and Pakistan: challenges and solutions.
- Mishra, P., Alhussan, A. A., Khafaga, D. S., Lal, P., Ray, S., Abotaleb, M., Alakkari, K., Eid, M. M., and El-Kenawy, E.-S. M. (2024). Forecasting production of potato for a sustainable future: global market analysis. *Potato Research*, 1-20.
- Misra, S., and Ghosh, A. (2024). Agriculture paradigm shift: a journey from traditional to modern agriculture. In "Biodiversity and Bioeconomy", pp. 113-141. Elsevier.
- Mpala, T. A., and Simatele, M. D. (2024). Climate-smart agricultural practices among rural farmers in Masvingo district of Zimbabwe: perspectives on the mitigation strategies to drought and water scarcity for improved crop production. *Frontiers in Sustainable Food Systems* **7**, 1298908.
- Muddassir, M., and Alotaibi, B. A. (2023). Farmers' awareness of improved maize cropping practices in Punjab, Pakistan.
- Mudege, N. N., Chevo, T., Nyekanyeka, T., Kapalasa, E., and Demo, P. (2016). Gender norms and access to extension services and training among potato farmers in Dedza and Ntcheu in Malawi. *The Journal of Agricultural Education and Extension* **22**, 291-305.
- Mujawamariya, G., and Kalema, E. (2017). Limited usage of mechanical equipment in small-scale rice farming: A cause for concern. *Journal of Agriculture and Environment for International Development (JAEID)* **111**, 5-21.
- Muthoni, J., and Kabira, J. (2014). Multiplication of seed potatoes in a conventional potato breeding programme: a case of Kenya's national potato programme. *Australian Journal of Crop Science* **8**, 1195-1199.
- Muthoni, J., and Shimelis, H. (2023). An overview of potato production in Africa. *Potato production worldwide*, 435-456.
- Naqqash, M. N. (2023). Insect-pests of potato: importance and management. In "Potato Production Worldwide", pp. 133-144. Elsevier.
- Navarro-Valverde, F. A., Ríos-Martín, M. J., Portillo-Robles, M. Á., and Cañete-Pérez, J. A. (2024). The Difficult, Limited Involvement of Public Actors in the LEADER Programme. Initiatives Which Got Left Behind in the Rural Areas of Andalusia. In "Win or Lose in Rural Development: Case Studies from Europe", pp. 405-427. Springer.
- Naz, R. M. M., Farooq, K., Muhammad, A., Ali, K., Ali, H., Imtiaz, A., Noor, S., Arif, U., Nigar, Q., and Umar, M. (2024a). Aeroponic seed potato production: a promising and sustainable strategy for seed potato production in Pakistan. *Pakistan Journal of Biotechnology* **21**, 87-91.
- Naz, S., Ahmad, S., Abbas, G., Fatima, Z., Hussain, S., Ahmed, M., Khan, M. A., Khan, A., Fahad, S., and Nasim, W. (2022). Modeling the impact of climate warming on potato phenology. *European Journal of Agronomy* **132**, 126404.

- Naz, S., Ahmed, M., Abbas, G., Fatima, Z., Hussain, S., Iqbal, P., Ghani, A., Ali, M., Awan, T. H., and Samad, N. (2024b). Assessment of Climate Change Impact on Potato-Potato Cropping System Under Semi-arid Environment and Designing of Adaptation Strategies. *Potato Research*, 1-31.
- Ndegwa, J. K., Gichimu, B. M., Mugwe, J. N., Mucheru-Muna, M., and Njiru, D. M. (2023). Integrated soil fertility and water management practices for enhanced agricultural productivity. *International Journal of Agronomy* **2023**, 8890794.
- Neupane, J., and Guo, W. (2019). Agronomic basis and strategies for precision water management: A review. *Agronomy* **9**, 87.
- Ngosong, C., Okolle, J. N., and Tening, A. S. (2019). Mulching: A sustainable option to improve soil health. *Soil fertility management for sustainable development*, 231-249.
- Ntuli, J. (2024). Impact of mulch and fertilizer application on yield components, tuber quality and the nutrient uptake of selected potato cultivars under irrigated conditions.
- Obidiegwu, J. E., Bryan, G. J., Jones, H. G., and Prashar, A. (2015). Coping with drought: stress and adaptive responses in potato and perspectives for improvement. *Frontiers in plant science* **6**, 542.
- Ochago, R. (2018). Gender and pest management: constraints to integrated pest management uptake among smallholder coffee farmers in Uganda. *Cogent Food & Agriculture* **4**, 1540093.
- Ouda, S., and Zohry, A. E.-H. (2024). Wheat: High Consumption and Unfulfilled Production. In "Integration of Legume Crops with Cereal Crops Under Changing Climate: Sustainably Increasing Food Production", pp. 1-34. Springer.
- Özkara, A., Akyıl, D., and Konuk, M. (2016). Pesticides, environmental pollution, and health. In "Environmental health risk-hazardous factors to living species". IntechOpen.
- Panchalingam, K., Rasheed, E. O., and Rotimi, J. O. B. (2024). Cost-related drivers and barriers of Passivhaus: A systematic literature review. *Sustainability* **16**, 6510.
- Pandey, S. C., Modi, P., Pereira, V., and Fosso Wamba, S. (2024). Empowering small farmers for sustainable agriculture: a human resource approach to SDG-driven training and innovation. *International Journal of Manpower*.
- Pedersen, S. M., Erekaló, K. T., Christensen, T., Denver, S., Gemtou, M., Fountas, S., Isakhanyan, G., Rosemarin, A., Ekane, N., and Puggaard, L. (2024). Drivers and Barriers to Climate-Smart Agricultural Practices and Technologies Adoption: Insights from stakeholders of Five European Food Supply Chains. *Smart Agricultural Technology*, 100478.
- Pixley, K. V., Cairns, J. E., Lopez-Ridaura, S., Ojiewo, C. O., Dawud, M. A., Drabo, I., Mindaye, T., Nebie, B., Asea, G., and Das, B. (2023). Redesigning crop varieties to win the race between climate change and food security. *Molecular Plant*.
- Potter, C., Sarapura-Escobar, S., VanderZaag, P., Salari, D., and Zink, R. (2024). Best management practice adoption amongst potato producers in Ontario: a study of drivers and barriers. *Frontiers in Sustainable Food Systems* **8**, 1358515.
- Poulton, C., Dorward, A., and Kydd, J. (2010). The future of small farms: New directions for services, institutions, and intermediation. *World development* **38**, 1413-1428.
- Priya, and Singh, S. (2024). Factors influencing the adoption of sustainable agricultural practices: a systematic literature review and lesson learned for India. In "Forum for Social Economics", Vol. 53, pp. 1-17. Taylor & Francis.
- Quddus, M. A. (2012). Adoption of dairy farming technologies by small farm holders: practices and constraints.
- Rahman, M. S., Haque, M. E., Afrad, M. S. I., Hasan, S. S., Rahman, M. A., and Noman, M. R. A. F. (2024). Usage of the mobile phone on agricultural farm enterprise development by women in rural Bangladesh. *Cogent Social Sciences* **10**, 2383393.
- Raigond, P., Singh, B., Jayanty, S. S., and Luthra, S. K. (2024). Nutritional Significance of Potato and Its Biofortification. In "Approaches for Potato Crop Improvement and Stress Management", pp. 349-367. Springer.
- Raihan, A., Ridwan, M., and Rahman, M. S. (2024). An exploration of the latest developments, obstacles, and potential future pathways for climate-smart agriculture. *Climate Smart Agriculture*, 100020.
- Raj, A., Singh, M. K., and Prasad, S. (2024). Integrated Pest Management of Potato in India.
- Raj, V. (2024). Effectiveness of Agricultural Extension Programs on Crop Productivity in India. *International Journal of Agriculture* **9**, 1-12.
- Rana, A. W., Gill, S., and Akram, I. (2022). Seed system of Pakistan: Policy challenges and prospects.
- Randy, A., Asante, E. A., Bobobee, E., and Amano, G. K. (2024). Mechanised Removal of Cocoa Beans from the Pod and Strategies to Optimize the Technique: A Review. *American Journal of Agriculture and Forestry* **8**, 185-194.
- Rashid, H. (2023). The Agrarian Question in West Punjab (1885-2020): Market Formations, Rural Differentiation, and Kissan Politics in an Agrarian Colony, SOAS University of London.



- Rashid, H. b. (2024). Reading the Agrarian, National, and Ecological Questions in Contemporary Kisan Politics in Pakistan. *Agrarian South: Journal of Political Economy* **13**, 295-316.
- Rasool, A., Badar, H., Blare, T., and Ghafoor, A. Assessing Smallholders' Agricultural Productivity Under Different Potato Value Chain Governance Structures in Pakistan. Available at SSRN 4820438.
- Ravensbergen, A. P. P., van Ittersum, M. K., Kempenaar, C., Ramsebner, N., de Wit, D., and Reidsma, P. (2024). Coupling field monitoring with crop growth modelling provides detailed insights on yield gaps at field level: A case study on ware potato production in the Netherlands. *Field Crops Research* **308**, 109295.
- Razaq, M., Mensah, R., and Athar, H. u. R. (2019). Insect pest management in cotton. *Cotton production*, 85-107.
- Reardon, T., Awokuse, T., Belton, B., Liverpool-Tasie, L. S. O., Minten, B., Nguyen, G., Qanti, S., Swinnen, J., Vos, R., and Zilberman, D. (2024). Emerging outsource agricultural services enable farmer adaptation in agrifood value chains: A product cycle perspective. *Food Policy* **127**, 102711.
- Reddy, P. P. (2024). "Hi-Tech Farming for Enhancing Horticulture Productivity," CRC Press.
- Riaz, M., Rehman, S., and Boz, I. (2024). Factors influencing the adoption of certified potato seeds among the farmers operating in Punjab, Pakistan. *Environment, Development and Sustainability* **26**, 16847-16861.
- Rossoni, A. L., de Vasconcellos, E. P. G., and de Castilho Rossoni, R. L. (2024). Barriers and facilitators of university-industry collaboration for research, development and innovation: a systematic review. *Management Review Quarterly* **74**, 1841-1877.
- Rostaei, M., Fallah, S., Carrubba, A., and Lorigooini, Z. (2024). Organic manures enhance biomass and improve content, chemical compounds of essential oil and antioxidant capacity of medicinal plants: A review. *Heliyon*.
- Sadawarti, M. J., Singh, S., Buckseth, T., Devi, S., Singh, R., Kumar, V., Katare, S., Singh, B., Khambalkar, P. A., and Samadhiya, R. (2023). Elements affecting seed potato quality in India-A review. *International Journal of Bio-resource and Stress Management* **14**, 1592-1607.
- Saddique, N., Jehanzaib, M., Sarwar, A., Ahmed, E., Muzammil, M., Khan, M. I., Faheem, M., Buttar, N. A., Ali, S., and Bernhofer, C. (2022). A systematic review on farmers' adaptation strategies in Pakistan toward climate change. *Atmosphere* **13**, 1280.
- Sahu, S., Bishnoi, S., Sharma, P. R., Satyapriya, Mahra, G. S., Burman, R. R., Barua, S., Misha Madhavan, M., Sangeetha, V., and Sinha, S. K. (2024). Exploring popular information sources and determinants of farmers' access to agricultural extension services in the Indo-Gangetic plains. *Frontiers in Sustainable Food Systems* **8**, 1339243.
- Saleem, A., Anwar, S., Nawaz, T., Fahad, S., Saud, S., Ur Rahman, T., Khan, M. N. R., and Nawaz, T. (2024). Securing a sustainable future: the climate change threat to agriculture, food security, and sustainable development goals. *Journal of Umm Al-Qura University for Applied Sciences*, 1-17.
- Samuel, L., de Barcellos, M. D., Watabaji, M. D., and De Steur, H. (2024). Factors affecting farmers' acceptance and adoption of biofortified crops: A systematic review. *Outlook on Agriculture* **53**, 15-29.
- Schattman, R. E., Malacarne, J., Mallory, E. B., and Goossen, C. P. (2024). Supporting farmers in coping with water extremes: aligning farmer needs and advisor confidence, skills, and expertise. *Environmental Research: Food Systems* **1**, 025002.
- Schreinemachers, P., Howard, J., Turner, M., Groot, S. N., Dubey, B., Mwadzingeni, L., Chagomoka, T., Ngugi, M., Afari-Sefa, V., and Hanson, P. (2021). Africa's evolving vegetable seed sector: status, policy options and lessons from Asia. *Food Security* **13**, 511-523.
- Selvan, T., Panmei, L., Murasing, K. K., Guleria, V., Ramesh, K. R., Bhardwaj, D., Thakur, C., Kumar, D., Sharma, P., and Digvijaysinh Umedsinh, R. (2023). Circular economy in agriculture: unleashing the potential of integrated organic farming for food security and sustainable development. *Frontiers in Sustainable Food Systems* **7**, 1170380.
- Shafiq, S., Haq, M. Z. U., Shahbaz, A., Shafique, S., Riaz, M., Hanif, M. T., Jilani, G., Ali, H., Sarfaraz, W., and Naqvi, S. A. R. (2024). Agrochemicals and Climate Change. In "Water-Soil-Plant-Animal Nexus in the Era of Climate Change", pp. 49-77. IGI Global.
- Shah, M. H., Ajaharuddin, S. M., Kundu, S., Kumawat, S., Atta, K., Hossain, A., Hembram, A., Pramanik, K., Ali, M. S., and Islam, S. (2023). Potential Impact of Changing Climate on the Sustainability of Potato (*Solanum Tuberosum* L.) Production in India. In "Climate Change Impacts in India", pp. 323-350. Springer.
- Shah, W. U. H., Lu, Y., Liu, J., Rehman, A., and Yasmeen, R. (2024). The impact of climate change and production technology heterogeneity on China's agricultural total factor productivity and production efficiency. *Science of The Total Environment* **907**, 168027.
- Shahzad, M., Iftikhar, M., Khan, G. A., and Ahmad, R. (2018). Effectiveness of farmers' training on the adoption of improved potato technology in

- tehsil Kasur. *Journal of Agricultural Research (03681157)* **56**.
- Sharma, S., Kooner, R., and Arora, R. (2016). Biointensive integrated management of insect pests. *Agricultural Research Journal* **53**.
- Sher, A., Zeeshan, M., Gilani, S., Mustafa, G., and Mushtaq, K. (2016). Investigation of the Factors Affecting the Potato Production with Special Reference to Farmers Entrepreneurial Level in Punjab, Pakistan. *Journal of Agriculture & Basic Sciences* **1**, 30-37.
- Sidhu, R. K., Kumar, R., Rana, P. S., and Jat, M. (2021). Automation in drip irrigation for enhancing water use efficiency in cereal systems of South Asia: Status and prospects. *Advances in agronomy* **167**, 247-300.
- Singh, A., Shraogi, N., Verma, R., Saji, J., Kar, A. K., Tehlan, S., Ghosh, D., and Patnaik, S. (2024a). Challenges in current pest management Practices: Navigating problems and a way forward by integrating controlled release system approach. *Chemical Engineering Journal*, 154989.
- Singh, A., Solanki, H., and Sharma, P. J. (2024b). Dynamic evolution of meteorological and hydrological droughts under climatic and anthropogenic pressures in water-scarce regions. *Hydrological Processes* **38**, e15290.
- Singh, D., Pal, N., and Sinha, S. K. (2024c). Technical investigation on operational challenges of large-scale PV integration and opportunities with market restructuring, storages, green corridors, and AI. *Microsystem Technologies* **30**, 1109-1122.
- Skinner, M., Parker, B. L., and Kim, J. S. (2014). Role of entomopathogenic fungi in integrated pest management. *Integrated pest management*, 169-191.
- Skrobacz, K., Szostek, M., and Balawejder, M. (2024). The Influence of Some Reactive Oxygen Species Treatments on the Yield and Changes in the Chemical Composition of Potato Tubers (*Solanum tuberosum* L.). *Agronomy* **14**, 1865.
- Srinivasarao, C. (2021). Programmes and policies for improving fertilizer use efficiency in agriculture. *Indian J. Fertil* **17**, 226-254.
- Sriram, J., Kannan, S. V., Ragavan, T., Sheeba, S., and Sivasankari, B. (2024). Mechanization in Cotton Farming: Addressing Labor Shortages and Enhancing Productivity in India. *Journal of Scientific Research and Reports* **30**, 617-630.
- Srivastav, A. L., Patel, N., Rani, L., Kumar, P., Dutt, I., Maddodi, B., and Chaudhary, V. K. (2024). Sustainable options for fertilizer management in agriculture to prevent water contamination: a review. *Environment, Development and Sustainability* **26**, 8303-8327.
- Stark, J. C., Thornton, M., and Nolte, P. (2020). "Potato production systems," Springer Nature.
- Steele, J., Steele-McCutchen, C., Gonchikara, S., Hossain, S., and McCutchen, B. (2024). Fertile grounds: Co-creating agroecological knowledge in a pluriverse. *Elem Sci Anth* **12**, 00080.
- Sun, W., Shahrajabian, M. H., Kuang, Y., and Wang, N. (2024). Amino acids biostimulants and protein hydrolysates in agricultural sciences. *Plants* **13**, 210.
- Talafha, M., Aburamadan, R. F., and Hamarneh, Q. Rainwater Harvesting in Jordan: Inherited Resilience and Adaptability. In "Rainwater Harvesting for the 21st Century", pp. 75-102. CRC Press.
- Tang, L., Shaikh, I. A., Tunio, A., Junejo, A. R., Hao, L., Dahri, J., Mangrio, M. A., Soothar, R. K., and Khan, Z. A. (2024). Effect of Raised Flat Bed and Ridge Planting on Wheat Crop Growth and Yield under Varying Soil Moisture Depletions. *Agronomy* **14**, 1404.
- Tey, Y. S., and Brindal, M. (2012). Factors influencing the adoption of precision agricultural technologies: a review for policy implications. *Precision agriculture* **13**, 713-730.
- Thooyavathy, R. A., Pcrumal, K., Suresh, V., and Vijayalakshmi, K. (2013). Seed Production Techniques for Vegetables. *Center for Indian Knowledge System, Chennai*.
- Tiwari, S., Bhardwaj, B., Arora, D., and Khatri, S. (2024). Challenges and Barriers to Smart Farming Adaptation: A Technical, Economic, and Social Perspective. *Smart Agritech: Robotics, AI, and Internet of Things (IoT) in Agriculture*, 75-111.
- Tolessa, E. S. (2021). A Review on Responses of Potato to Macro and Micro Fertilizers Application.
- Tushar, S. R., Alam, M. F. B., Zaman, S. M., Garza-Reyes, J. A., Bari, A. M., and Karmaker, C. L. (2023). Analysis of the factors influencing the stability of stored grains: Implications for agricultural sustainability and food security. *Sustainable Operations and Computers* **4**, 40-52.
- Ullah, A., Shah, T. M., and Farooq, M. (2020). Pulses production in Pakistan: status, constraints and opportunities. *International Journal of Plant Production* **14**, 549-569.
- Umaro, S. M. (2022). Role of tissue culture as applied in seed potato multiplication to improve food security: a review.
- Van Dijk, M. P. (2023). Triple Helix approach to innovation in Rwanda's agriculture resulted in a partnership between educational institutions and a private firm producing clean seed potatoes. *Journal of Agribusiness in Developing and Emerging Economies*.
- Waheed, A., Li, C., Muhammad, M., Ahmad, M., Khan, K. A., Ghramh, H. A., Wang, Z., and Zhang, D. (2023). Sustainable potato growth

- under straw mulching practices. *Sustainability* **15**, 10442.
- Waheed, A., Wahab, A. A., Ahmed, F., Umer, M., Saleem, S. S. A., Batool, S. A., Hassan, W. U., Saleem, T., and Raza, H. A. Farmers' perception about the impact of plant clinic on potato productivity: Implications for agriculture extension service in Punjab Pakistan.
- Wakeel, A., and Magen, H. (2017). Potash Use for Sustainable Crop Production in Pakistan: A Review. *International Journal of Agriculture & Biology* **19**.
- Wang, R.-F., and Su, W.-H. (2024). The Application of Deep Learning in the Whole Potato Production Chain: A Comprehensive Review. *Agriculture* **14**, 1225.
- Wani, A. S. (2023). Response of potato (*Solanum tuberosum* L.) to varying fertilizer and irrigation levels at different phenophases, SKUAST Kashmir.
- Waris, U., Tariq, S., Mehmood, U., and ul-Haq, Z. (2023). Exploring potential impacts of climatic variability on production of maize in Pakistan using ARDL approach. *Acta Geophysica* **71**, 2545-2561.
- Wasilewska-Nascimento, B., Boguszewska-Mańkowska, D., and Zarzyńska, K. (2020). Challenges in the production of high-quality seed potatoes (*Solanum tuberosum* L.) in the tropics and subtropics. *Agronomy* **10**, 260.
- Yang, P., Wu, L., Cheng, M., Fan, J., Li, S., Wang, H., and Qian, L. (2023). Review on drip irrigation: impact on crop yield, quality, and water productivity in China. *Water* **15**, 1733.
- Yarahmadi, F., and Rajabpour, A. (2024). Insecticides and Natural Enemies: Applications in Integrated Pest Management Programs—Challenges, Criteria, and Evaluation for Recommendations.
- Yazar, A., and Ali, A. (2016). Water harvesting in dry environments. *Innovations in dryland agriculture*, 49-98.
- Zhao, H., Wang, R.-Y., Ma, B.-L., Xiong, Y.-C., Qiang, S.-C., Wang, C.-L., Liu, C.-A., and Li, F.-M. (2014). Ridge-furrow with full plastic film mulching improves water use efficiency and tuber yields of potato in a semiarid rainfed ecosystem. *Field Crops Research* **161**, 137-148.
- Zhou, S., Chang, T., Zhang, Y., Shaghaleh, H., Zhang, J., Yang, X., Qin, H., Talpur, M. M. A., and Hamoud, Y. A. (2024a). Organic fertilizer compost alters the microbial composition and network structure in strongly acidic soil. *Applied Soil Ecology* **195**, 105263.
- Zhou, W., Arcot, Y., Medina, R. F., Bernal, J., Cisneros-Zevallos, L., and Akbulut, M. E. (2024b). Integrated Pest Management: An Update on the Sustainability Approach to Crop Protection. *ACS omega*. <https://doi.org/10.1021/acsomega.4c06628>.
- Zuza, E. J., Araya, Y. N., Maseyk, K., Bhagwat, S., Brandenburg, R. L., Emmott, A., Rawes, W., Phiri, P., Mkengala, K., and Kenamu, E. (2024). Farmer preference for macadamia varieties and constraints to production in Malawi. *Plos one* **19**, e0293488. <https://doi.org/10.1371/journal.pone.0293488>.

## Declarations

### Declaration of Interest Statement

We declare that we have no financial and personal relationships with other people or organizations that can inappropriately influence our work.

### Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

### Acknowledgments

Not applicable.

### Author's contributions

MFI and NF conducted the field trials and planned the experiment. MZH analyzed the data. FA and NF assisted with data collection. All authors proofread the manuscript. All authors have read and approved the final manuscript.

### Ethics approval and consent to participate

Not applicable

### Consent for Publication

Not applicable



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/), © The Author(s) 2024